

# Article - Billing and Coding: Blepharoplasty, Blepharoptosis Repair and Surgical Procedures of the Brow (A57025)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

## Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATES
<a href="#">First Coast Service Options, Inc.</a>	A and B MAC	09101 - MAC A	J - N	Florida
<a href="#">First Coast Service Options, Inc.</a>	A and B MAC	09102 - MAC B	J - N	Florida
<a href="#">First Coast Service Options, Inc.</a>	A and B MAC	09201 - MAC A	J - N	Puerto Rico Virgin Islands
<a href="#">First Coast Service Options, Inc.</a>	A and B MAC	09202 - MAC B	J - N	Puerto Rico
<a href="#">First Coast Service Options, Inc.</a>	A and B MAC	09302 - MAC B	J - N	Virgin Islands

## Article Information

### General Information

**Article ID**

A57025

**Article Title**

Billing and Coding: Blepharoplasty, Blepharoptosis Repair and Surgical Procedures of the Brow

**Article Type**

Billing and Coding

**Original Effective Date**

10/03/2018

**Revision Effective Date**

06/25/2023

**Revision Ending Date**

N/A

**Retirement Date**

N/A

**AMA CPT / ADA CDT / AHA NUBC Copyright Statement**

CPT codes, descriptions and other data only are copyright 2022 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Current Dental Terminology © 2022 American Dental Association. All rights reserved.

Copyright © 2022, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the American Hospital Association (AHA) copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312 893 6816.

Making copies or utilizing the content of the UB04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB04 Manual and/or codes and descriptions; and/or making any commercial use of UB04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. The American Hospital Association (the "AHA") has not reviewed, and is not responsible for, the completeness or accuracy of any information contained in this material, nor was the AHA or

any of its affiliates, involved in the preparation of this material, or the analysis of information provided in the material. The views and/or positions presented in the material do not necessarily represent the views of the AHA. CMS and its products and services are not endorsed by the AHA or any of its affiliates.

## **CMS National Coverage Policy**

### **Internet-Only Manuals (IOMs):**

- CMS IOM Publication, 100-04, *Medicare Claims Processing Manual*,
  - Chapter 23, Section 20.9 National Correct Coding Initiative (NCCI)

### **National Correct Coding Initiative (NCCI):**

- *Medicare NCCI Policy Manual*,
  - Chapter 8, Section D. Ophthalmology

### **Social Security Act (Title XVIII) Standard References:**

- Title XVIII of the Social Security Act, Section 1833(e) states that no payment shall be made to any provider of services or other person under this part unless there has been furnished such information as may be necessary in order to determine the amounts due such provider or other person under this part for the period with respect to which the amounts are being paid or for any prior period.

## **Article Guidance**

### **Article Text**

This Billing and Coding Article provides billing and coding guidance for Local Coverage Determination (LCD) L34028 Blepharoplasty, Blepharoptosis Repair and Surgical Procedures of the Brow. Please refer to the LCD for reasonable and necessary requirements.

### **Coding Guidance**

**Notice:** It is not appropriate to bill Medicare for services that are not covered (as described by the entire LCD) as if they are covered. When billing for non-covered services, use the appropriate modifier.

Effective October 1, 2017, The Center for Medicare & Medicaid Services (CMS) revised policy may allow payment to be made for a medically necessary upper eyelid blepharoptosis when performed with (noncovered) cosmetic blepharoplasty on the same eye during the same visit.

For correct coding guidelines and specific applicable code combinations prior to billing Medicare, refer to the Medicare NCCI Policy Manual, Chapter 8, Section D. Ophthalmology.

Correct coding dictates that removal of malignant and benign lesions requires a different set of codes than the codes listed in this article.

- Removal of malignant lesions should be reported with CPT codes 11640-11646.

- Removal of benign lesions should be reported with CPT codes 11440-11446, 67840 or 67850.
- Mohs surgery should be reported with CPT codes 17311-17315.

## Documentation Requirements

1. All documentation must be maintained in the patient's medical record and made available to the contractor upon request.
2. Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, dates of service[s]). The documentation must include the legible signature of the physician or non-physician practitioner responsible for and providing the care to the patient.
3. The submitted medical record must support the use of the selected ICD-10-CM code(s). The submitted CPT/HCPCS code must describe the service performed.
4. The submitted medical record **must include** results of pertinent diagnostic tests and operative reports **as appropriate**, documentation to support the medical necessity of blepharoptosis repair, brow ptosis repair, and blepharoplasty procedures:
  - Clinical notes, supporting a decrease in visual field (peripheral vision and/or upper field vision) demonstrating a 12 to 15 degree superior loss or 24% to 30% superior visual field impairment, near or far visual impairment, or difficulty reading.
  - Patient complaints and physical findings, for example:
    - Interference with vision or visual field, related to activities such as, difficulty reading due to upper eyelid drooping, looking through the eyelashes, seeing the upper eyelid skin, or brow fatigue.
    - Chronic eyelid dermatitis due to redundant eyelid skin.
    - Lower eyelid ectropion resulting in eye irritation and inflammation and excessive tearing.
    - Entropion where the eyelashes are contacting the cornea resulting in discomfort, redness, tearing, and foreign body sensation.
    - Difficulty wearing prosthesis.
  - Margin reflex distance (MRD1) of 2 mm or less.
  - A palpebral fissure height on down-gaze of 1 mm or less, (measured with the patient fixating on an object in down-gaze with the ipsilateral brow relaxed and the contralateral lid elevated).
  - The presence of Hering's Law meeting one of the above criteria in bullets 3 or 4. Hering's Law of equal innervation to both upper eyelids may be considered in the documentation to perform bilateral ptosis repair in which the position of one upper eyelid has marginal criteria and the other eyelid had good supportive documentation for ptosis surgery.
  - Visual field testing demonstrating a 12 to 15 degree superior field loss or 24% to 30% superior visual field impairment.
5. Preoperative photographs in the form of prints or slides are required to be submitted with the medical record to support medical necessity of blepharoptosis repair, brow ptosis repair and blepharoplasty procedures if the record is not sufficient to determine medical necessity. If photographs are requested to support the documentation, photograph guidelines that support medical necessity include:
  - The photographs must be frontal view, canthus to canthus with the head perpendicular to the plane of the camera (not tilted) to demonstrate a skin rash or position of the true lid margin or the pseudo-lid margin.
  - For CPT codes 15820-15823 or 67901-67908: If redundant skin coexists with true lid ptosis, additional photos taken with the upper lid skin retracted to show the actual position of the true lid margin are supportive of medical necessity.
  - Oblique photos are only needed to demonstrate redundant skin on the upper eyelashes when this is the only indication for surgery.
  - Separate from the photographs, documentation in the medical record of the indicated distance thresholds (e.g., 2 mm or less from the central corneal reflex to the upper eyelid margin or skin that overhangs the eyelid margin [pseudoptosis]) is helpful to demonstrate medical necessity.

**NOTE:** If both a blepharoplasty and a blepharoptosis repair are planned, both must be individually documented. The medical necessity criteria for each procedure must be met and the additional required testing criteria demonstrate visual impairment that cannot be addressed by one procedure alone. This may require two sets of photographs showing the effect of drooping of redundant skin (drooping of brows and its correction by taping), and the actual presence of blepharoptosis with drooping of the upper eyelid.

## Coding Information

### CPT/HCPCS Codes

#### Group 1 Paragraph:

**Note:** Providers are reminded to refer to the long descriptors of the CPT codes in their CPT book.

#### Group 1 Codes: (11 Codes)

CODE	DESCRIPTION
15820	Revision of lower eyelid
15821	Revision of lower eyelid
15822	Revision of upper eyelid
15823	Revision of upper eyelid
67900	Repair brow defect
67901	Repair eyelid defect
67902	Repair eyelid defect
67903	Repair eyelid defect
67904	Repair eyelid defect
67906	Repair eyelid defect
67908	Repair eyelid defect

#### Group 2 Paragraph:

N/A

#### Group 2 Codes: (11 Codes)

CODE	DESCRIPTION
67909	Revise eyelid defect
67911	Revise eyelid defect
67912	Correction eyelid w/implant
67914	Repair eyelid defect
67915	Repair eyelid defect

CODE	DESCRIPTION
67916	Repair eyelid defect
67917	Repair eyelid defect
67921	Repair eyelid defect
67922	Repair eyelid defect
67923	Repair eyelid defect
67924	Repair eyelid defect

### CPT/HCPCS Modifiers

#### Group 1 Paragraph:

N/A

#### Group 1 Codes:

N/A

### ICD-10-CM Codes that Support Medical Necessity

#### Group 1 Paragraph:

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

The following ICD-10-CM codes support medical necessity and provide coverage for **CPT codes: 15820, 15821, 15822, 15823, 67900, 67901, 67902, 67903, 67904, 67906 and 67908.**

#### Group 1 Codes: (25 Codes)

CODE	DESCRIPTION
H02.31	Blepharochalasis right upper eyelid
H02.32	Blepharochalasis right lower eyelid
H02.34	Blepharochalasis left upper eyelid
H02.35	Blepharochalasis left lower eyelid
H02.411	Mechanical ptosis of right eyelid
H02.412	Mechanical ptosis of left eyelid
H02.413	Mechanical ptosis of bilateral eyelids
H02.421	Myogenic ptosis of right eyelid
H02.422	Myogenic ptosis of left eyelid

CODE	DESCRIPTION
H02.423	Myogenic ptosis of bilateral eyelids
H02.431	Paralytic ptosis of right eyelid
H02.432	Paralytic ptosis of left eyelid
H02.433	Paralytic ptosis of bilateral eyelids
H02.521	Blepharophimosis right upper eyelid
H02.522	Blepharophimosis right lower eyelid
H02.524	Blepharophimosis left upper eyelid
H02.525	Blepharophimosis left lower eyelid
H02.831	Dermatochalasis of right upper eyelid
H02.832	Dermatochalasis of right lower eyelid
H02.834	Dermatochalasis of left upper eyelid
H02.835	Dermatochalasis of left lower eyelid
H57.811	Brow ptosis, right
H57.812	Brow ptosis, left
H57.813	Brow ptosis, bilateral
Q10.0	Congenital ptosis

**Group 2 Paragraph:**

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

The following ICD-10-CM codes support medical necessity and provide coverage for **CPT codes: 67909, 67911, 67912, 67914, 67915, 67916, 67917, 67921, 67922, 67923 and 67924.**

**Group 2 Codes:** (84 Codes)

CODE	DESCRIPTION
G51.0	Bell's palsy
H01.011	Ulcerative blepharitis right upper eyelid
H01.012	Ulcerative blepharitis right lower eyelid
H01.014	Ulcerative blepharitis left upper eyelid
H01.015	Ulcerative blepharitis left lower eyelid
H01.01A	Ulcerative blepharitis right eye, upper and lower eyelids
H01.01B	Ulcerative blepharitis left eye, upper and lower eyelids
H01.021	Squamous blepharitis right upper eyelid

<b>CODE</b>	<b>DESCRIPTION</b>
H01.022	Squamous blepharitis right lower eyelid
H01.024	Squamous blepharitis left upper eyelid
H01.025	Squamous blepharitis left lower eyelid
H01.02A	Squamous blepharitis right eye, upper and lower eyelids
H01.02B	Squamous blepharitis left eye, upper and lower eyelids
H02.011	Cicatricial entropion of right upper eyelid
H02.012	Cicatricial entropion of right lower eyelid
H02.014	Cicatricial entropion of left upper eyelid
H02.015	Cicatricial entropion of left lower eyelid
H02.021	Mechanical entropion of right upper eyelid
H02.022	Mechanical entropion of right lower eyelid
H02.024	Mechanical entropion of left upper eyelid
H02.025	Mechanical entropion of left lower eyelid
H02.031	Senile entropion of right upper eyelid
H02.032	Senile entropion of right lower eyelid
H02.034	Senile entropion of left upper eyelid
H02.035	Senile entropion of left lower eyelid
H02.041	Spastic entropion of right upper eyelid
H02.042	Spastic entropion of right lower eyelid
H02.044	Spastic entropion of left upper eyelid
H02.045	Spastic entropion of left lower eyelid
H02.051	Trichiasis without entropion right upper eyelid
H02.052	Trichiasis without entropion right lower eyelid
H02.054	Trichiasis without entropion left upper eyelid
H02.055	Trichiasis without entropion left lower eyelid
H02.111	Cicatricial ectropion of right upper eyelid
H02.112	Cicatricial ectropion of right lower eyelid
H02.114	Cicatricial ectropion of left upper eyelid
H02.115	Cicatricial ectropion of left lower eyelid
H02.121	Mechanical ectropion of right upper eyelid
H02.122	Mechanical ectropion of right lower eyelid
H02.124	Mechanical ectropion of left upper eyelid

CODE	DESCRIPTION
H02.125	Mechanical ectropion of left lower eyelid
H02.131	Senile ectropion of right upper eyelid
H02.132	Senile ectropion of right lower eyelid
H02.134	Senile ectropion of left upper eyelid
H02.135	Senile ectropion of left lower eyelid
H02.141	Spastic ectropion of right upper eyelid
H02.142	Spastic ectropion of right lower eyelid
H02.144	Spastic ectropion of left upper eyelid
H02.145	Spastic ectropion of left lower eyelid
H02.151	Paralytic ectropion of right upper eyelid
H02.152	Paralytic ectropion of right lower eyelid
H02.154	Paralytic ectropion of left upper eyelid
H02.155	Paralytic ectropion of left lower eyelid
H02.211	Cicatricial lagophthalmos right upper eyelid
H02.212	Cicatricial lagophthalmos right lower eyelid
H02.214	Cicatricial lagophthalmos left upper eyelid
H02.215	Cicatricial lagophthalmos left lower eyelid
H02.21A	Cicatricial lagophthalmos right eye, upper and lower eyelids
H02.21B	Cicatricial lagophthalmos left eye, upper and lower eyelids
H02.21C	Cicatricial lagophthalmos, bilateral, upper and lower eyelids
H02.221	Mechanical lagophthalmos right upper eyelid
H02.222	Mechanical lagophthalmos right lower eyelid
H02.224	Mechanical lagophthalmos left upper eyelid
H02.225	Mechanical lagophthalmos left lower eyelid
H02.22A	Mechanical lagophthalmos right eye, upper and lower eyelids
H02.22B	Mechanical lagophthalmos left eye, upper and lower eyelids
H02.22C	Mechanical lagophthalmos, bilateral, upper and lower eyelids
H02.231	Paralytic lagophthalmos right upper eyelid
H02.232	Paralytic lagophthalmos right lower eyelid
H02.234	Paralytic lagophthalmos left upper eyelid
H02.235	Paralytic lagophthalmos left lower eyelid
H02.23A	Paralytic lagophthalmos right eye, upper and lower eyelids



CODE	DESCRIPTION
H02.23B	Paralytic lagophthalmos left eye, upper and lower eyelids
H02.23C	Paralytic lagophthalmos, bilateral, upper and lower eyelids
H02.531	Eyelid retraction right upper eyelid
H02.532	Eyelid retraction right lower eyelid
H02.534	Eyelid retraction left upper eyelid
H02.535	Eyelid retraction left lower eyelid
H04.521	Eversion of right lacrimal punctum
H04.522	Eversion of left lacrimal punctum
H04.523	Eversion of bilateral lacrimal punctum
Q10.1	Congenital ectropion
Q10.2	Congenital entropion
Q10.3	Other congenital malformations of eyelid

### ICD-10-CM Codes that DO NOT Support Medical Necessity

#### Group 1 Paragraph:

All those not listed under the "ICD-10-CM Codes that Support Medical Necessity" section of this article.

#### Group 1 Codes: (1 Code)

CODE	DESCRIPTION
XX000	Not Applicable

### ICD-10-PCS Codes

N/A

### Additional ICD-10 Information

N/A

### Bill Type Codes

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the article does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the article should be assumed to apply equally to all claims.

CODE	DESCRIPTION
999x	Not Applicable

### Revenue Codes

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the article, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the article should be assumed to apply equally to all Revenue Codes.

CODE	DESCRIPTION
99999	Not Applicable

### Other Coding Information

#### Group 1 Paragraph:

N/A

#### Group 1 Codes:

N/A

## Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
06/25/2023	R4	<p>Article revised and published on 05/11/2023 effective for dates of service on and after 06/25/2023 as a non-discretionary update to correct coding guidance and ICD-10-CM codes that were not in alignment with the LCD indications. Therefore, the following changes have been made in order to provide correct coding guidance and to ensure consistency with the LCD.</p> <p>The 'Coding Guidance' section has been revised to indicate correct coding dictates that removal of malignant lesions should be reported with CPT codes 11640-11646, benign lesions should be reported with CPT codes 11440-11446, 67840 or 67850 and Mohs surgery should be reported with CPT codes 17311-17315.</p> <p>Consistent with the LCD, the following CPT code has been added to the CPT/HCPCS Code Group 2 Codes and the ICD-10-CM Codes that Support Medical Necessity Group 2 Codes: 67912.</p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		<p>The following <b>ICD-10-CM</b> codes have been <b>moved from Group 2 ICD-10-CM Codes to Group 1 ICD-10-CM</b> Codes: H02.521, H02.522, H02.524, H02.525.</p> <p>The CPT codes in Group 2 describe revision and repair of eyelid defects (ectropion and entropion). Therefore, the following ICD-10-CM codes have appropriately been <b>removed from Group 1 ICD-10-CM Codes</b>: H02.012, H02.015, H02.022, H02.025, H02.032, H02.035, H02.042, H02.045, H02.112, H02.115, H02.122, H02.125, H02.132, H02.135, H02.142, H02.145, H02.152, H02.155.</p> <p>The following ICD-10-CM codes, located in the <b>Group 1 ICD-10-CM Codes</b>, have been <b>deleted</b> from the article: H02.401, H02.402, H02.403 as these are unspecified codes and providers should report more specific codes for mechanical, myogenic or paralytic ptosis.</p> <p>The following ICD-10-CM codes, located in the <b>Group 2 ICD-10-CM Codes</b>, have been <b>deleted</b> from the article as malignant and benign lesions should be reported with a different set of codes: C43.111, C43.112, C43.121, C43.122, C4A.111, C4A.112, C4A.121, C4A.122, C44.1021, C44.1022, C44.1091, C44.1092, C44.1121, C44.1122, C44.1191, C44.1192, C44.1221, C44.1222, C44.1291, C44.1292, C44.1321, C44.1322, C44.1391, C44.1392, C44.1921, C44.1922, D03.111, D03.112, D03.121, D03.122, D04.111, D04.112, D04.121, D04.122, D22.111, D22.112, D22.121, D22.122, D23.111, D23.112, D23.121, D23.122.</p> <p>The following ICD-10-CM codes, located in the <b>Group 2 ICD-10-CM Codes</b> were <b>deleted</b> from the article as these codes do not apply to eyelid surgeries: C44.301, C44.309, C44.311, C44.319, C44.321, C44.329, C44.391, C44.399, C47.0, C49.0, D22.39, D23.39.</p> <p>The following ICD-10-CM code, located in the <b>Group 2 ICD-10-CM Codes</b> has been <b>deleted</b> from the article: G51.2 as Melkersson-Rosenthal syndrome does not appear to cause symptoms that would require the type of eye surgery addressed by the LCD.</p> <p>The following unspecified ICD-10-CM codes, located in the <b>Group 2 ICD-10-CM Codes</b>, were <b>deleted</b> from the article as more specific codes should be reported for ulcerative or squamous blepharitis: H01.001, H01.002, H01.004, H01.005.</p> <p>The following unspecified ICD-10-CM codes, located in the <b>Group 2 ICD-10-CM Codes</b>, were <b>deleted</b> from the article as more specific codes should be reported for cicatricial, mechanical, senile, or spastic ectropion: H02.001, H02.002, H02.004, H02.005, H02.101, H02.102, H02.104, H02.105.</p> <p>The following unspecified ICD-10-CM codes, located in the <b>Group 2 ICD-10-CM Codes</b>, were <b>deleted</b> from the article as more specific codes should be reported for cicatricial, mechanical, or paralytic lagophthalmos: H02.201, H02.202, H02.204,</p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		<p>H02.205.</p> <p>The following ICD-10-CM codes were <b>deleted from the Group 2 ICD-10-CM Codes</b> as they are appropriately placed in the Group 1 ICD-10-CM Codes: H02.411, H02.412, H02.413, H02.421, H02.422, H02.423, H02.431, H02.432, H02.433, Q10.0.</p> <p>The following ICD-10-CM code, located in the <b>Group 2 ICD-10-CM Codes</b> was <b>deleted</b> from the article: Q11.1 as this code refers to congenital absence of the eye and can be agenesis or aplasia which would not require the type of eye surgeries addressed by the LCD.</p> <p>The following ICD-10-CM codes have been <b>added to the Group 2 ICD-10-CM Codes:</b> H01.011, H01.012, H01.014, H01.015, H01.01A, H01.01B, H01.021, H01.022, H01.024, H01.025, H01.02A, H01.2B.</p> <p>Documentation requirements for bullets #4 and #5 have been revised to add clarification. Additionally, two additional patient complaints and physical findings have been added to documentation requirement bullet #4 and visual field testing has been added to the list of notes required.</p>
10/28/2021	R3	<p>Article revised and published on 10/28/2021 effective for dates of service on and after 03/21/2021. Current Procedural Terminology (CPT) code 67961 has been removed from the article. CPT codes 67914, 67915, 67916, 67917, 67921, 67922, 67923 and 67924 have been removed from the Group 1 CPT codes and placed in a newly created Group 2. CPT Codes 67909 and 67911 have been added to Group 2 CPT codes and to the new ICD-10-CM Group 2 Paragraph. ICD-10-CM codes H02.401, H02.402 and H02.403 were added to the Group 1 ICD-10-CM codes that support medical necessity. A new ICD-10-CM Group 2 codes that support medical necessity was created to support the new CPT Group 2 codes.</p>
05/27/2021	R2	<p>Article revised and published on 05/27/2021 to revise bullet point #5 in the 'Documentation Requirements' section for clarification purposes in response to questions from prior auth. Minor formatting changes were made in the coding section.</p>
03/21/2021	R1	<p>This revised Billing and Coding Article published 02/04/2021 will become effective 03/21/2021. The proposed LCD and related Billing and Coding Article will provide limited coverage for upper and lower blepharoplasty as well as repair of brow ptosis when performed for functional indications.</p> <p>2020PITLAB019</p>

## Associated Documents

## Related Local Coverage Documents

### Articles

[A58587 - Response to Comments: Blepharoplasty, Blepharoptosis Repair and Surgical Procedures of the Brow](#)

### LCDs

[DL34028 - \(MCD Archive Site\)](#)

[L34028 - Blepharoplasty, Blepharoptosis Repair and Surgical Procedures of the Brow](#)

## Related National Coverage Documents

N/A

### Statutory Requirements URLs

N/A

### Rules and Regulations URLs

N/A

### CMS Manual Explanations URLs

N/A

### Other URLs

N/A

### Public Versions

UPDATED ON	EFFECTIVE DATES	STATUS
Some older versions have been archived. Please visit the MCD Archive Site to retrieve them.		
05/05/2023	06/25/2023 - N/A	Currently in Effect (This Version)
10/22/2021	10/28/2021 - 06/24/2023	Superseded

---

## Keywords

N/A