

LCD Reference Article	Billing and Coding Article
-----------------------	----------------------------

Article - Billing and Coding: Neurophysiology Evoked Potentials (NEPs) (A56773)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATES
Novitas Solutions, Inc.	A and B MAC	04111 - MAC A	J - H	Colorado
Novitas Solutions, Inc.	A and B MAC	04112 - MAC B	J - H	Colorado
Novitas Solutions, Inc.	A and B MAC	04211 - MAC A	J - H	New Mexico
Novitas Solutions, Inc.	A and B MAC	04212 - MAC B	J - H	New Mexico
Novitas Solutions, Inc.	A and B MAC	04311 - MAC A	J - H	Oklahoma
Novitas Solutions, Inc.	A and B MAC	04312 - MAC B	J - H	Oklahoma
Novitas Solutions, Inc.	A and B MAC	04411 - MAC A	J - H	Texas
Novitas Solutions, Inc.	A and B MAC	04412 - MAC B	J - H	Texas
Novitas Solutions, Inc.	A and B MAC	04911 - MAC A	J - H	Colorado New Mexico Oklahoma Texas
Novitas Solutions, Inc.	A and B MAC	07101 - MAC A	J - H	Arkansas
Novitas Solutions, Inc.	A and B MAC	07102 - MAC B	J - H	Arkansas
Novitas Solutions, Inc.	A and B MAC	07201 - MAC A	J - H	Louisiana
Novitas Solutions, Inc.	A and B MAC	07202 - MAC B	J - H	Louisiana
Novitas Solutions, Inc.	A and B MAC	07301 - MAC A	J - H	Mississippi
Novitas Solutions, Inc.	A and B MAC	07302 - MAC B	J - H	Mississippi
Novitas Solutions, Inc.	A and B MAC	12101 - MAC A	J - L	Delaware
Novitas Solutions, Inc.	A and B MAC	12102 - MAC B	J - L	Delaware
Novitas Solutions, Inc.	A and B MAC	12201 - MAC A	J - L	District of Columbia
Novitas Solutions, Inc.	A and B MAC	12202 - MAC B	J - L	District of Columbia
Novitas Solutions, Inc.	A and B MAC	12301 - MAC A	J - L	Maryland
Novitas Solutions, Inc.	A and B MAC	12302 - MAC B	J - L	Maryland
Novitas Solutions, Inc.	A and B MAC	12401 - MAC A	J - L	New Jersey
Novitas Solutions, Inc.	A and B MAC	12402 - MAC B	J - L	New Jersey
Novitas Solutions, Inc.	A and B MAC	12501 - MAC A	J - L	Pennsylvania

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATES
Novitas Solutions, Inc.	A and B MAC	12502 - MAC B	J - L	Pennsylvania
Novitas Solutions, Inc.	A and B MAC	12901 - MAC A	J - L	Delaware District of Columbia Maryland New Jersey Pennsylvania

Article Information

General Information

Article ID

A56773

Article Title

Billing and Coding: Neurophysiology Evoked Potentials (NEPs)

Article Type

Billing and Coding

Original Effective Date

08/08/2019

Revision Effective Date

10/01/2023

Revision Ending Date

N/A

Retirement Date

N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2023 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Current Dental Terminology © 2023 American Dental Association. All rights reserved.

Copyright © 2023, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the American Hospital Association (AHA) copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312 893 6816.

Making copies or utilizing the content of the UB04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB04 Manual and/or codes and descriptions; and/or making any commercial use of UB04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. The American Hospital Association (the "AHA") has not reviewed, and is not responsible for, the completeness or accuracy of any information contained in this material, nor was the AHA or any of its affiliates, involved in the preparation of this material, or the analysis of information provided in the material. The views and/or positions presented in the material do not necessarily represent the views of the AHA. CMS and its products and services are not endorsed by the AHA or any of its affiliates.

CMS National Coverage Policy

Social Security Act (Title XVIII) Standard References:

- Title XVIII of the Social Security Act, Section 1833(e) states that no payment shall be made to any provider of services or other person under this part unless there has been furnished such information as may be necessary in order to determine the amounts due such provider or other person under this part for the period with respect to which the amounts are being paid or for any prior period.

Article Guidance

Article Text

This Billing and Coding Article provides billing and coding guidance for Local Coverage Determination (LCD) L34975 (Neurophysiology Evoked Potentials [NEPs]). Please refer to the LCD for reasonable and necessary requirements.

Coding Guidance

Notice: It is not appropriate to bill Medicare for services that are not covered (as described by the entire LCD) as if they are covered. When billing for non-covered services, use the appropriate modifier.

CPT codes for **Somatosensory Evoked Potentials and Responses (SEPs/SERs):** 95925, 95926, 95927, 95928, 95929, 95938, 95939.

CPT codes for **Brainstem Auditory Evoked Potentials and Responses (BAEPs/BAERs):** 92651, 92652, 92653.

CPT code for **Visual Evoked Potentials or Responses (VEPs/VERs):** 95930.

Coding Information

CPT/HCPCS Codes

Group 1 Paragraph:

Note: Providers are reminded to refer to the long descriptors of the CPT codes in their CPT book.

Group 1 Codes: (3 Codes)

CODE	DESCRIPTION
92651	Aep hearing status deter i&r
92652	Aep thrshld est mlt freq i&r
92653	Aep neurodiagnostic i&r

Group 2 Paragraph:

N/A

Group 2 Codes: (7 Codes)

CODE	DESCRIPTION
95925	Somatosensory testing

CODE	DESCRIPTION
95926	Somatosensory testing
95927	Somatosensory testing
95928	C motor evoked uppr limbs
95929	C motor evoked lwr limbs
95938	Somatosensory testing
95939	C motor evoked upr&lwr limbs

Group 3 Paragraph:

N/A

Group 3 Codes: (1 Code)

CODE	DESCRIPTION
95930	Visual ep test cns w/i&r

CPT/HCPCS Modifiers

N/A

ICD-10-CM Codes that Support Medical Necessity

Group 1 Paragraph:

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

The following ICD-10 codes support medical necessity and provide coverage for **CPT codes 92651, 92652, and 92653:**

Group 1 Codes: (162 Codes)

CODE	DESCRIPTION
C71.6	Malignant neoplasm of cerebellum
D33.1	Benign neoplasm of brain, infratentorial
D33.3	Benign neoplasm of cranial nerves
D43.1	Neoplasm of uncertain behavior of brain, infratentorial
G10	Huntington's disease
G21.0	Malignant neuroleptic syndrome
G23.0	Hallervorden-Spatz disease
G23.1	Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]

CODE	DESCRIPTION
G23.2	Striatonigral degeneration
G23.8	Other specified degenerative diseases of basal ganglia
G23.9	Degenerative disease of basal ganglia, unspecified
G24.01	Drug induced subacute dyskinesia
G24.02	Drug induced acute dystonia
G24.09	Other drug induced dystonia
G24.1	Genetic torsion dystonia
G24.2	Idiopathic nonfamilial dystonia
G24.3	Spasmodic torticollis
G24.4	Idiopathic orofacial dystonia
G24.5	Blepharospasm
G24.8	Other dystonia
G24.9	Dystonia, unspecified
G25.0	Essential tremor
G25.1	Drug-induced tremor
G25.2	Other specified forms of tremor
G25.3	Myoclonus
G25.4	Drug-induced chorea
G25.5	Other chorea
G25.61	Drug induced tics
G25.69	Other tics of organic origin
G25.70	Drug induced movement disorder, unspecified
G25.71	Drug induced akathisia
G25.79	Other drug induced movement disorders
G25.81	Restless legs syndrome
G25.82	Stiff-man syndrome
G25.83	Benign shuddering attacks
G25.89	Other specified extrapyramidal and movement disorders
G26	Extrapyramidal and movement disorders in diseases classified elsewhere
G35	Multiple sclerosis
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]

CODE	DESCRIPTION
G36.8	Other specified acute disseminated demyelination
G37.0	Diffuse sclerosis of central nervous system
G37.1	Central demyelination of corpus callosum
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotizing myelitis of central nervous system
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.89	Other specified demyelinating diseases of central nervous system
G37.9	Demyelinating disease of central nervous system, unspecified
G80.3	Athetoid cerebral palsy
G90.3	Multi-system degeneration of the autonomic nervous system
H46.00	Optic papillitis, unspecified eye
H46.01	Optic papillitis, right eye
H46.02	Optic papillitis, left eye
H46.03	Optic papillitis, bilateral
H46.10	Retrobulbar neuritis, unspecified eye
H46.11	Retrobulbar neuritis, right eye
H46.12	Retrobulbar neuritis, left eye
H46.13	Retrobulbar neuritis, bilateral
H46.2	Nutritional optic neuropathy
H46.3	Toxic optic neuropathy
H46.8	Other optic neuritis
H46.9	Unspecified optic neuritis
H81.01	Meniere's disease, right ear
H81.02	Meniere's disease, left ear
H81.03	Meniere's disease, bilateral
H81.09	Meniere's disease, unspecified ear
H81.4	Vertigo of central origin
H83.3X1	Noise effects on right inner ear
H83.3X2	Noise effects on left inner ear
H83.3X3	Noise effects on inner ear, bilateral
H83.3X9	Noise effects on inner ear, unspecified ear

CODE	DESCRIPTION
H90.0*	Conductive hearing loss, bilateral
H90.11*	Conductive hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side
H90.12*	Conductive hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side
H90.2*	Conductive hearing loss, unspecified
H90.3*	Sensorineural hearing loss, bilateral
H90.41*	Sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side
H90.42*	Sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side
H90.5*	Unspecified sensorineural hearing loss
H90.6*	Mixed conductive and sensorineural hearing loss, bilateral
H90.71*	Mixed conductive and sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side
H90.72*	Mixed conductive and sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side
H90.8*	Mixed conductive and sensorineural hearing loss, unspecified
H90.A11*	Conductive hearing loss, unilateral, right ear with restricted hearing on the contralateral side
H90.A12*	Conductive hearing loss, unilateral, left ear with restricted hearing on the contralateral side
H90.A21*	Sensorineural hearing loss, unilateral, right ear, with restricted hearing on the contralateral side
H90.A22*	Sensorineural hearing loss, unilateral, left ear, with restricted hearing on the contralateral side
H90.A31*	Mixed conductive and sensorineural hearing loss, unilateral, right ear with restricted hearing on the contralateral side
H90.A32*	Mixed conductive and sensorineural hearing loss, unilateral, left ear with restricted hearing on the contralateral side
H91.01*	Ototoxic hearing loss, right ear
H91.02*	Ototoxic hearing loss, left ear
H91.03*	Ototoxic hearing loss, bilateral
H91.09*	Ototoxic hearing loss, unspecified ear
H91.10*	Presbycusis, unspecified ear

CODE	DESCRIPTION
H91.11*	Presbycusis, right ear
H91.12*	Presbycusis, left ear
H91.13*	Presbycusis, bilateral
H91.20*	Sudden idiopathic hearing loss, unspecified ear
H91.21*	Sudden idiopathic hearing loss, right ear
H91.22*	Sudden idiopathic hearing loss, left ear
CODE	DESCRIPTION
H91.23*	Sudden idiopathic hearing loss, bilateral
H91.3	Deaf nonspeaking, not elsewhere classified
H91.8X1*	Other specified hearing loss, right ear
H91.8X2*	Other specified hearing loss, left ear
H91.8X3*	Other specified hearing loss, bilateral
H91.8X9*	Other specified hearing loss, unspecified ear
H91.90*	Unspecified hearing loss, unspecified ear
H91.91*	Unspecified hearing loss, right ear
H91.92*	Unspecified hearing loss, left ear
H91.93*	Unspecified hearing loss, bilateral
H93.011	Transient ischemic deafness, right ear
H93.012	Transient ischemic deafness, left ear
H93.013	Transient ischemic deafness, bilateral
H93.019	Transient ischemic deafness, unspecified ear
H93.091	Unspecified degenerative and vascular disorders of right ear
H93.092	Unspecified degenerative and vascular disorders of left ear
H93.093	Unspecified degenerative and vascular disorders of ear, bilateral
H93.099	Unspecified degenerative and vascular disorders of unspecified ear
H93.11	Tinnitus, right ear
H93.12	Tinnitus, left ear
H93.13	Tinnitus, bilateral
H93.19	Tinnitus, unspecified ear
H93.211	Auditory recruitment, right ear
H93.212	Auditory recruitment, left ear
H93.213	Auditory recruitment, bilateral

CODE	DESCRIPTION
H93.219	Auditory recruitment, unspecified ear
H93.221	Diplacusis, right ear
H93.222	Diplacusis, left ear
H93.223	Diplacusis, bilateral
H93.229	Diplacusis, unspecified ear
H93.231	Hyperacusis, right ear
H93.232	Hyperacusis, left ear
H93.233	Hyperacusis, bilateral
H93.239	Hyperacusis, unspecified ear
H93.241	Temporary auditory threshold shift, right ear
H93.242	Temporary auditory threshold shift, left ear
H93.243	Temporary auditory threshold shift, bilateral
H93.249	Temporary auditory threshold shift, unspecified ear
H93.25	Central auditory processing disorder
H93.291	Other abnormal auditory perceptions, right ear
H93.292	Other abnormal auditory perceptions, left ear
H93.293	Other abnormal auditory perceptions, bilateral
H93.299	Other abnormal auditory perceptions, unspecified ear
H93.3X1	Disorders of right acoustic nerve
H93.3X2	Disorders of left acoustic nerve
H93.3X3	Disorders of bilateral acoustic nerves
H93.3X9	Disorders of unspecified acoustic nerve
H94.00	Acoustic neuritis in infectious and parasitic diseases classified elsewhere, unspecified ear
H94.01	Acoustic neuritis in infectious and parasitic diseases classified elsewhere, right ear
H94.02	Acoustic neuritis in infectious and parasitic diseases classified elsewhere, left ear
H94.03	Acoustic neuritis in infectious and parasitic diseases classified elsewhere, bilateral
R25.0	Abnormal head movements
R25.1	Tremor, unspecified
R25.2	Cramp and spasm
R25.3	Fasciculation
R25.8	Other abnormal involuntary movements

CODE	DESCRIPTION
R25.9	Unspecified abnormal involuntary movements
R42	Dizziness and giddiness
Z01.12	Encounter for hearing conservation and treatment
Z01.818	Encounter for other preprocedural examination
Z45.321	Encounter for adjustment and management of cochlear device

Group 1 Medical Necessity ICD-10-CM Codes Asterisk Explanation:

*Tests for these ICD-10-CM codes are covered only for an initial evaluation of a hearing problem and for subsequent evaluation when the medical necessity is clearly documented in the patient's medical record.

Group 2 Paragraph:

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

The following ICD-10 codes support medical necessity and provide coverage for **CPT codes 95925, 95926, 95927, 95928, 95929, 95938, and 95939:**

Group 2 Codes: (1,380 Codes)

CODE	DESCRIPTION
A52.11	Tabes dorsalis
A52.13	Late syphilitic meningitis
A52.14	Late syphilitic encephalitis
A52.15	Late syphilitic neuropathy
A52.17	General paresis
A52.19	Other symptomatic neurosyphilis
A69.21	Meningitis due to Lyme disease
A69.22	Other neurologic disorders in Lyme disease
A69.23	Arthritis due to Lyme disease
A69.29	Other conditions associated with Lyme disease
A83.0	Japanese encephalitis
A83.1	Western equine encephalitis
A83.2	Eastern equine encephalitis
A83.3	St Louis encephalitis
A83.4	Australian encephalitis
A83.5	California encephalitis

CODE	DESCRIPTION
A83.6	Rocio virus disease
A83.8	Other mosquito-borne viral encephalitis
A84.0	Far Eastern tick-borne encephalitis [Russian spring-summer encephalitis]
A84.1	Central European tick-borne encephalitis
A84.81	Powassan virus disease
A84.89	Other tick-borne viral encephalitis
A85.2	Arthropod-borne viral encephalitis, unspecified
B00.4	Herpesviral encephalitis
B00.82	Herpes simplex myelitis
B02.24	Postherpetic myelitis
B05.0	Measles complicated by encephalitis
B06.01	Rubella encephalitis
C41.2	Malignant neoplasm of vertebral column
C70.0	Malignant neoplasm of cerebral meninges
C70.1	Malignant neoplasm of spinal meninges
C72.0	Malignant neoplasm of spinal cord
C72.1	Malignant neoplasm of cauda equina
C72.21	Malignant neoplasm of right olfactory nerve
C72.22	Malignant neoplasm of left olfactory nerve
C72.31	Malignant neoplasm of right optic nerve
C72.32	Malignant neoplasm of left optic nerve
C72.41	Malignant neoplasm of right acoustic nerve
C72.42	Malignant neoplasm of left acoustic nerve
C72.59	Malignant neoplasm of other cranial nerves
C79.31	Secondary malignant neoplasm of brain
C79.32	Secondary malignant neoplasm of cerebral meninges
C79.49	Secondary malignant neoplasm of other parts of nervous system
D32.0	Benign neoplasm of cerebral meninges
D32.1	Benign neoplasm of spinal meninges
D33.0	Benign neoplasm of brain, supratentorial
D33.1	Benign neoplasm of brain, infratentorial
D33.3	Benign neoplasm of cranial nerves

CODE	DESCRIPTION
D33.4	Benign neoplasm of spinal cord
D33.7	Benign neoplasm of other specified parts of central nervous system
D42.0	Neoplasm of uncertain behavior of cerebral meninges
D42.1	Neoplasm of uncertain behavior of spinal meninges
D43.0	Neoplasm of uncertain behavior of brain, supratentorial
D43.1	Neoplasm of uncertain behavior of brain, infratentorial
D43.4	Neoplasm of uncertain behavior of spinal cord
D44.3	Neoplasm of uncertain behavior of pituitary gland
D44.4	Neoplasm of uncertain behavior of craniopharyngeal duct
D44.5	Neoplasm of uncertain behavior of pineal gland
E03.5	Myxedema coma
E08.42	Diabetes mellitus due to underlying condition with diabetic polyneuropathy
E09.42	Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy
E10.42	Type 1 diabetes mellitus with diabetic polyneuropathy
E11.42	Type 2 diabetes mellitus with diabetic polyneuropathy
E13.42	Other specified diabetes mellitus with diabetic polyneuropathy
E71.50	Peroxisomal disorder, unspecified
E71.510	Zellweger syndrome
E71.511	Neonatal adrenoleukodystrophy
E71.518	Other disorders of peroxisome biogenesis
E71.520	Childhood cerebral X-linked adrenoleukodystrophy
E71.521	Adolescent X-linked adrenoleukodystrophy
E71.522	Adrenomyeloneuropathy
E71.528	Other X-linked adrenoleukodystrophy
E71.53	Other group 2 peroxisomal disorders
E71.540	Rhizomelic chondrodysplasia punctata
E71.541	Zellweger-like syndrome
E71.542	Other group 3 peroxisomal disorders
E71.548	Other peroxisomal disorders
E75.23	Krabbe disease
E75.25	Metachromatic leukodystrophy

CODE	DESCRIPTION
E75.27	Pelizaeus-Merzbacher disease
E75.29	Other sphingolipidosis
F44.4	Conversion disorder with motor symptom or deficit
F44.5	Conversion disorder with seizures or convulsions
F44.6	Conversion disorder with sensory symptom or deficit
F44.7	Conversion disorder with mixed symptom presentation
G05.4	Myelitis in diseases classified elsewhere
G06.1	Intraspinal abscess and granuloma
G11.0	Congenital nonprogressive ataxia
G11.11	Friedreich ataxia
G11.19	Other early-onset cerebellar ataxia
G11.2	Late-onset cerebellar ataxia
G11.3	Cerebellar ataxia with defective DNA repair
G11.4	Hereditary spastic paraplegia
G11.8	Other hereditary ataxias
G13.0	Paraneoplastic neuromyopathy and neuropathy
G13.1	Other systemic atrophy primarily affecting central nervous system in neoplastic disease
G23.0	Hallervorden-Spatz disease
G23.1	Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]
G23.2	Striatonigral degeneration
G23.8	Other specified degenerative diseases of basal ganglia
G25.3	Myoclonus
CODE	DESCRIPTION
G32.0	Subacute combined degeneration of spinal cord in diseases classified elsewhere
G32.81	Cerebellar ataxia in diseases classified elsewhere
G35	Multiple sclerosis
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]
G36.8	Other specified acute disseminated demyelination
G37.0	Diffuse sclerosis of central nervous system
G37.1	Central demyelination of corpus callosum

CODE	DESCRIPTION
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotizing myelitis of central nervous system
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.81	Myelin oligodendrocyte glycoprotein antibody disease
G37.89	Other specified demyelinating diseases of central nervous system
G45.0	Vertebro-basilar artery syndrome
G45.1	Carotid artery syndrome (hemispheric)
G45.2	Multiple and bilateral precerebral artery syndromes
G45.8	Other transient cerebral ischemic attacks and related syndromes
G46.0	Middle cerebral artery syndrome
G46.1	Anterior cerebral artery syndrome
G46.2	Posterior cerebral artery syndrome
G51.0	Bell's palsy
G51.1	Geniculate ganglionitis
G51.2	Melkersson's syndrome
G51.31	Clonic hemifacial spasm, right
G51.32	Clonic hemifacial spasm, left
G51.33	Clonic hemifacial spasm, bilateral
G51.4	Facial myokymia
G51.8	Other disorders of facial nerve
G54.0	Brachial plexus disorders
G54.1	Lumbosacral plexus disorders
G54.2	Cervical root disorders, not elsewhere classified
G54.3	Thoracic root disorders, not elsewhere classified
G54.4	Lumbosacral root disorders, not elsewhere classified
G54.5	Neuralgic amyotrophy
G54.6	Phantom limb syndrome with pain
G54.7	Phantom limb syndrome without pain
G54.8	Other nerve root and plexus disorders
G55	Nerve root and plexus compressions in diseases classified elsewhere
G56.41	Causalgia of right upper limb

CODE	DESCRIPTION
G56.42	Causalgia of left upper limb
G56.43	Causalgia of bilateral upper limbs
G57.01	Lesion of sciatic nerve, right lower limb
G57.02	Lesion of sciatic nerve, left lower limb
G57.03	Lesion of sciatic nerve, bilateral lower limbs
G57.11	Meralgia paresthetica, right lower limb
G57.12	Meralgia paresthetica, left lower limb
G57.13	Meralgia paresthetica, bilateral lower limbs
G57.21	Lesion of femoral nerve, right lower limb
G57.22	Lesion of femoral nerve, left lower limb
G57.23	Lesion of femoral nerve, bilateral lower limbs
G57.31	Lesion of lateral popliteal nerve, right lower limb
G57.32	Lesion of lateral popliteal nerve, left lower limb
G57.33	Lesion of lateral popliteal nerve, bilateral lower limbs
G57.41	Lesion of medial popliteal nerve, right lower limb
G57.42	Lesion of medial popliteal nerve, left lower limb
G57.43	Lesion of medial popliteal nerve, bilateral lower limbs
G57.51	Tarsal tunnel syndrome, right lower limb
G57.52	Tarsal tunnel syndrome, left lower limb
G57.53	Tarsal tunnel syndrome, bilateral lower limbs
G57.61	Lesion of plantar nerve, right lower limb
G57.62	Lesion of plantar nerve, left lower limb
G57.63	Lesion of plantar nerve, bilateral lower limbs
G57.71	Causalgia of right lower limb
G57.72	Causalgia of left lower limb
G57.73	Causalgia of bilateral lower limbs
G57.81	Other specified mononeuropathies of right lower limb
G57.82	Other specified mononeuropathies of left lower limb
G57.83	Other specified mononeuropathies of bilateral lower limbs
G58.7	Mononeuritis multiplex
G60.0	Hereditary motor and sensory neuropathy
G60.1	Refsum's disease

CODE	DESCRIPTION
G60.2	Neuropathy in association with hereditary ataxia
G60.3	Idiopathic progressive neuropathy
G60.8	Other hereditary and idiopathic neuropathies
G61.0	Guillain-Barre syndrome
G61.1	Serum neuropathy
G61.81	Chronic inflammatory demyelinating polyneuritis
G61.89	Other inflammatory polyneuropathies
G62.0	Drug-induced polyneuropathy
G62.1	Alcoholic polyneuropathy
G62.2	Polyneuropathy due to other toxic agents
G62.81	Critical illness polyneuropathy
G62.82	Radiation-induced polyneuropathy
G62.89	Other specified polyneuropathies
G63	Polyneuropathy in diseases classified elsewhere
G64	Other disorders of peripheral nervous system
G65.0	Sequelae of Guillain-Barre syndrome
G65.1	Sequelae of other inflammatory polyneuropathy
G65.2	Sequelae of toxic polyneuropathy
G70.00	Myasthenia gravis without (acute) exacerbation
G70.01	Myasthenia gravis with (acute) exacerbation
G70.1	Toxic myoneural disorders
G70.2	Congenital and developmental myasthenia
G70.81	Lambert-Eaton syndrome in disease classified elsewhere
G70.89	Other specified myoneural disorders
G73.1	Lambert-Eaton syndrome in neoplastic disease
G73.3	Myasthenic syndromes in other diseases classified elsewhere
G80.0	Spastic quadriplegic cerebral palsy
G80.1	Spastic diplegic cerebral palsy
CODE	DESCRIPTION
G80.2	Spastic hemiplegic cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy

CODE	DESCRIPTION
G81.01	Flaccid hemiplegia affecting right dominant side
G81.02	Flaccid hemiplegia affecting left dominant side
G81.03	Flaccid hemiplegia affecting right nondominant side
G81.04	Flaccid hemiplegia affecting left nondominant side
G81.11	Spastic hemiplegia affecting right dominant side
G81.12	Spastic hemiplegia affecting left dominant side
G81.13	Spastic hemiplegia affecting right nondominant side
G81.14	Spastic hemiplegia affecting left nondominant side
G83.4	Cauda equina syndrome
G90.3	Multi-system degeneration of the autonomic nervous system
G93.2	Benign intracranial hypertension
G95.0	Syringomyelia and syringobulbia
G95.11	Acute infarction of spinal cord (embolic) (nonembolic)
G95.19	Other vascular myelopathies
G95.81	Conus medullaris syndrome
G95.89	Other specified diseases of spinal cord
G99.2	Myelopathy in diseases classified elsewhere
I60.01	Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation
I60.02	Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation
I60.11	Nontraumatic subarachnoid hemorrhage from right middle cerebral artery
I60.12	Nontraumatic subarachnoid hemorrhage from left middle cerebral artery
I60.2	Nontraumatic subarachnoid hemorrhage from anterior communicating artery
I60.31	Nontraumatic subarachnoid hemorrhage from right posterior communicating artery
I60.32	Nontraumatic subarachnoid hemorrhage from left posterior communicating artery
I60.4	Nontraumatic subarachnoid hemorrhage from basilar artery
I60.51	Nontraumatic subarachnoid hemorrhage from right vertebral artery
I60.52	Nontraumatic subarachnoid hemorrhage from left vertebral artery
I60.6	Nontraumatic subarachnoid hemorrhage from other intracranial arteries
I60.8	Other nontraumatic subarachnoid hemorrhage
I61.0	Nontraumatic intracerebral hemorrhage in hemisphere, subcortical
I61.1	Nontraumatic intracerebral hemorrhage in hemisphere, cortical
I61.3	Nontraumatic intracerebral hemorrhage in brain stem

CODE	DESCRIPTION
I61.4	Nontraumatic intracerebral hemorrhage in cerebellum
I61.5	Nontraumatic intracerebral hemorrhage, intraventricular
I61.6	Nontraumatic intracerebral hemorrhage, multiple localized
I61.8	Other nontraumatic intracerebral hemorrhage
I62.01	Nontraumatic acute subdural hemorrhage
I62.02	Nontraumatic subacute subdural hemorrhage
I62.03	Nontraumatic chronic subdural hemorrhage
I62.1	Nontraumatic extradural hemorrhage
I63.011	Cerebral infarction due to thrombosis of right vertebral artery
I63.012	Cerebral infarction due to thrombosis of left vertebral artery
I63.013	Cerebral infarction due to thrombosis of bilateral vertebral arteries
I63.02	Cerebral infarction due to thrombosis of basilar artery
I63.031	Cerebral infarction due to thrombosis of right carotid artery
I63.032	Cerebral infarction due to thrombosis of left carotid artery
I63.033	Cerebral infarction due to thrombosis of bilateral carotid arteries
I63.09	Cerebral infarction due to thrombosis of other precerebral artery
I63.111	Cerebral infarction due to embolism of right vertebral artery
I63.112	Cerebral infarction due to embolism of left vertebral artery
I63.113	Cerebral infarction due to embolism of bilateral vertebral arteries
I63.12	Cerebral infarction due to embolism of basilar artery
I63.131	Cerebral infarction due to embolism of right carotid artery
I63.132	Cerebral infarction due to embolism of left carotid artery
I63.133	Cerebral infarction due to embolism of bilateral carotid arteries
I63.19	Cerebral infarction due to embolism of other precerebral artery
I63.311	Cerebral infarction due to thrombosis of right middle cerebral artery
I63.312	Cerebral infarction due to thrombosis of left middle cerebral artery
I63.313	Cerebral infarction due to thrombosis of bilateral middle cerebral arteries
I63.321	Cerebral infarction due to thrombosis of right anterior cerebral artery
I63.322	Cerebral infarction due to thrombosis of left anterior cerebral artery
I63.323	Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries
I63.331	Cerebral infarction due to thrombosis of right posterior cerebral artery
I63.332	Cerebral infarction due to thrombosis of left posterior cerebral artery

CODE	DESCRIPTION
I63.333	Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries
I63.341	Cerebral infarction due to thrombosis of right cerebellar artery
I63.342	Cerebral infarction due to thrombosis of left cerebellar artery
I63.343	Cerebral infarction due to thrombosis of bilateral cerebellar arteries
I63.39	Cerebral infarction due to thrombosis of other cerebral artery
I63.411	Cerebral infarction due to embolism of right middle cerebral artery
I63.412	Cerebral infarction due to embolism of left middle cerebral artery
I63.413	Cerebral infarction due to embolism of bilateral middle cerebral arteries
I63.421	Cerebral infarction due to embolism of right anterior cerebral artery
I63.422	Cerebral infarction due to embolism of left anterior cerebral artery
I63.423	Cerebral infarction due to embolism of bilateral anterior cerebral arteries
I63.431	Cerebral infarction due to embolism of right posterior cerebral artery
I63.432	Cerebral infarction due to embolism of left posterior cerebral artery
I63.433	Cerebral infarction due to embolism of bilateral posterior cerebral arteries
I63.441	Cerebral infarction due to embolism of right cerebellar artery
I63.442	Cerebral infarction due to embolism of left cerebellar artery
I63.443	Cerebral infarction due to embolism of bilateral cerebellar arteries
I63.49	Cerebral infarction due to embolism of other cerebral artery
I63.6	Cerebral infarction due to cerebral venous thrombosis, nonpyogenic
I65.01	Occlusion and stenosis of right vertebral artery
I65.02	Occlusion and stenosis of left vertebral artery
I65.03	Occlusion and stenosis of bilateral vertebral arteries
I65.1	Occlusion and stenosis of basilar artery
I65.21	Occlusion and stenosis of right carotid artery
I65.22	Occlusion and stenosis of left carotid artery
I65.23	Occlusion and stenosis of bilateral carotid arteries
I65.8	Occlusion and stenosis of other precerebral arteries
I66.01	Occlusion and stenosis of right middle cerebral artery
I66.02	Occlusion and stenosis of left middle cerebral artery
I66.03	Occlusion and stenosis of bilateral middle cerebral arteries
I66.11	Occlusion and stenosis of right anterior cerebral artery
I66.12	Occlusion and stenosis of left anterior cerebral artery

CODE	DESCRIPTION
I66.13	Occlusion and stenosis of bilateral anterior cerebral arteries
CODE	DESCRIPTION
I66.21	Occlusion and stenosis of right posterior cerebral artery
I66.22	Occlusion and stenosis of left posterior cerebral artery
I66.23	Occlusion and stenosis of bilateral posterior cerebral arteries
I66.3	Occlusion and stenosis of cerebellar arteries
I67.1	Cerebral aneurysm, nonruptured
M40.03	Postural kyphosis, cervicothoracic region
M40.04	Postural kyphosis, thoracic region
M40.05	Postural kyphosis, thoracolumbar region
M40.12	Other secondary kyphosis, cervical region
M40.13	Other secondary kyphosis, cervicothoracic region
M40.14	Other secondary kyphosis, thoracic region
M40.15	Other secondary kyphosis, thoracolumbar region
M40.292	Other kyphosis, cervical region
M40.293	Other kyphosis, cervicothoracic region
M40.294	Other kyphosis, thoracic region
M40.295	Other kyphosis, thoracolumbar region
M40.35	Flatback syndrome, thoracolumbar region
M40.36	Flatback syndrome, lumbar region
M40.37	Flatback syndrome, lumbosacral region
M40.45	Postural lordosis, thoracolumbar region
M40.46	Postural lordosis, lumbar region
M40.47	Postural lordosis, lumbosacral region
M41.02	Infantile idiopathic scoliosis, cervical region
M41.03	Infantile idiopathic scoliosis, cervicothoracic region
M41.04	Infantile idiopathic scoliosis, thoracic region
M41.05	Infantile idiopathic scoliosis, thoracolumbar region
M41.06	Infantile idiopathic scoliosis, lumbar region
M41.07	Infantile idiopathic scoliosis, lumbosacral region
M41.08	Infantile idiopathic scoliosis, sacral and sacrococcygeal region
M41.112	Juvenile idiopathic scoliosis, cervical region

CODE	DESCRIPTION
M41.113	Juvenile idiopathic scoliosis, cervicothoracic region
M41.114	Juvenile idiopathic scoliosis, thoracic region
M41.115	Juvenile idiopathic scoliosis, thoracolumbar region
M41.116	Juvenile idiopathic scoliosis, lumbar region
M41.117	Juvenile idiopathic scoliosis, lumbosacral region
M41.122	Adolescent idiopathic scoliosis, cervical region
M41.123	Adolescent idiopathic scoliosis, cervicothoracic region
M41.124	Adolescent idiopathic scoliosis, thoracic region
M41.125	Adolescent idiopathic scoliosis, thoracolumbar region
M41.126	Adolescent idiopathic scoliosis, lumbar region
M41.127	Adolescent idiopathic scoliosis, lumbosacral region
M41.22	Other idiopathic scoliosis, cervical region
M41.23	Other idiopathic scoliosis, cervicothoracic region
M41.24	Other idiopathic scoliosis, thoracic region
M41.25	Other idiopathic scoliosis, thoracolumbar region
M41.26	Other idiopathic scoliosis, lumbar region
M41.27	Other idiopathic scoliosis, lumbosacral region
M41.34	Thoracogenic scoliosis, thoracic region
M41.35	Thoracogenic scoliosis, thoracolumbar region
M41.41	Neuromuscular scoliosis, occipito-atlanto-axial region
M41.42	Neuromuscular scoliosis, cervical region
M41.43	Neuromuscular scoliosis, cervicothoracic region
M41.44	Neuromuscular scoliosis, thoracic region
M41.45	Neuromuscular scoliosis, thoracolumbar region
M41.46	Neuromuscular scoliosis, lumbar region
M41.47	Neuromuscular scoliosis, lumbosacral region
M41.52	Other secondary scoliosis, cervical region
M41.53	Other secondary scoliosis, cervicothoracic region
M41.54	Other secondary scoliosis, thoracic region
M41.55	Other secondary scoliosis, thoracolumbar region
M41.56	Other secondary scoliosis, lumbar region
M41.57	Other secondary scoliosis, lumbosacral region

CODE	DESCRIPTION
M41.82	Other forms of scoliosis, cervical region
M41.83	Other forms of scoliosis, cervicothoracic region
M41.84	Other forms of scoliosis, thoracic region
M41.85	Other forms of scoliosis, thoracolumbar region
M41.86	Other forms of scoliosis, lumbar region
M41.87	Other forms of scoliosis, lumbosacral region
M43.01	Spondylolysis, occipito-atlanto-axial region
M43.02	Spondylolysis, cervical region
M43.03	Spondylolysis, cervicothoracic region
M43.04	Spondylolysis, thoracic region
M43.05	Spondylolysis, thoracolumbar region
M43.06	Spondylolysis, lumbar region
M43.07	Spondylolysis, lumbosacral region
M43.08	Spondylolysis, sacral and sacrococcygeal region
M43.09	Spondylolysis, multiple sites in spine
M43.11	Spondylolisthesis, occipito-atlanto-axial region
M43.12	Spondylolisthesis, cervical region
M43.13	Spondylolisthesis, cervicothoracic region
M43.14	Spondylolisthesis, thoracic region
M43.15	Spondylolisthesis, thoracolumbar region
M43.16	Spondylolisthesis, lumbar region
M43.17	Spondylolisthesis, lumbosacral region
M43.18	Spondylolisthesis, sacral and sacrococcygeal region
M43.19	Spondylolisthesis, multiple sites in spine
M43.8X1	Other specified deforming dorsopathies, occipito-atlanto-axial region
M43.8X2	Other specified deforming dorsopathies, cervical region
M43.8X3	Other specified deforming dorsopathies, cervicothoracic region
M43.8X4	Other specified deforming dorsopathies, thoracic region
M43.8X5	Other specified deforming dorsopathies, thoracolumbar region
M43.8X6	Other specified deforming dorsopathies, lumbar region
M43.8X7	Other specified deforming dorsopathies, lumbosacral region
M43.8X8	Other specified deforming dorsopathies, sacral and sacrococcygeal region

CODE	DESCRIPTION
M47.011	Anterior spinal artery compression syndromes, occipito-atlanto-axial region
M47.012	Anterior spinal artery compression syndromes, cervical region
M47.013	Anterior spinal artery compression syndromes, cervicothoracic region
M47.014	Anterior spinal artery compression syndromes, thoracic region
M47.015	Anterior spinal artery compression syndromes, thoracolumbar region
M47.016	Anterior spinal artery compression syndromes, lumbar region
CODE	DESCRIPTION
M47.021	Vertebral artery compression syndromes, occipito-atlanto-axial region
M47.022	Vertebral artery compression syndromes, cervical region
M47.11	Other spondylosis with myelopathy, occipito-atlanto-axial region
M47.12	Other spondylosis with myelopathy, cervical region
M47.13	Other spondylosis with myelopathy, cervicothoracic region
M47.14	Other spondylosis with myelopathy, thoracic region
M47.15	Other spondylosis with myelopathy, thoracolumbar region
M47.16	Other spondylosis with myelopathy, lumbar region
M47.21	Other spondylosis with radiculopathy, occipito-atlanto-axial region
M47.22	Other spondylosis with radiculopathy, cervical region
M47.23	Other spondylosis with radiculopathy, cervicothoracic region
M47.24	Other spondylosis with radiculopathy, thoracic region
M47.25	Other spondylosis with radiculopathy, thoracolumbar region
M47.26	Other spondylosis with radiculopathy, lumbar region
M47.27	Other spondylosis with radiculopathy, lumbosacral region
M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region
M47.891	Other spondylosis, occipito-atlanto-axial region
M47.892	Other spondylosis, cervical region
M47.893	Other spondylosis, cervicothoracic region

CODE	DESCRIPTION
M47.896	Other spondylosis, lumbar region
M47.897	Other spondylosis, lumbosacral region
M47.898	Other spondylosis, sacral and sacrococcygeal region
M48.01	Spinal stenosis, occipito-atlanto-axial region
M48.02	Spinal stenosis, cervical region
M48.03	Spinal stenosis, cervicothoracic region
M48.062	Spinal stenosis, lumbar region with neurogenic claudication
M48.07	Spinal stenosis, lumbosacral region
M50.01	Cervical disc disorder with myelopathy, high cervical region
M50.021	Cervical disc disorder at C4-C5 level with myelopathy
M50.022	Cervical disc disorder at C5-C6 level with myelopathy
M50.023	Cervical disc disorder at C6-C7 level with myelopathy
M50.03	Cervical disc disorder with myelopathy, cervicothoracic region
M50.11	Cervical disc disorder with radiculopathy, high cervical region
M50.121	Cervical disc disorder at C4-C5 level with radiculopathy
M50.122	Cervical disc disorder at C5-C6 level with radiculopathy
M50.123	Cervical disc disorder at C6-C7 level with radiculopathy
M50.21	Other cervical disc displacement, high cervical region
M50.221	Other cervical disc displacement at C4-C5 level
M50.222	Other cervical disc displacement at C5-C6 level
M50.223	Other cervical disc displacement at C6-C7 level
M50.23	Other cervical disc displacement, cervicothoracic region
M50.31	Other cervical disc degeneration, high cervical region
M50.321	Other cervical disc degeneration at C4-C5 level
M50.322	Other cervical disc degeneration at C5-C6 level
M50.323	Other cervical disc degeneration at C6-C7 level
M50.33	Other cervical disc degeneration, cervicothoracic region
M51.04	Intervertebral disc disorders with myelopathy, thoracic region
M51.05	Intervertebral disc disorders with myelopathy, thoracolumbar region
M51.06	Intervertebral disc disorders with myelopathy, lumbar region
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region
M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region

CODE	DESCRIPTION
M51.16	Intervertebral disc disorders with radiculopathy, lumbar region
M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region
M51.24	Other intervertebral disc displacement, thoracic region
M51.25	Other intervertebral disc displacement, thoracolumbar region
M51.26	Other intervertebral disc displacement, lumbar region
M51.27	Other intervertebral disc displacement, lumbosacral region
M51.34	Other intervertebral disc degeneration, thoracic region
M51.35	Other intervertebral disc degeneration, thoracolumbar region
M51.36	Other intervertebral disc degeneration, lumbar region
M51.37	Other intervertebral disc degeneration, lumbosacral region
M53.0	Cervicocranial syndrome
M53.1	Cervicobrachial syndrome
M54.11	Radiculopathy, occipito-atlanto-axial region
M54.12	Radiculopathy, cervical region
M54.13	Radiculopathy, cervicothoracic region
M54.14	Radiculopathy, thoracic region
M54.15	Radiculopathy, thoracolumbar region
M54.16	Radiculopathy, lumbar region
M54.17	Radiculopathy, lumbosacral region
M54.18	Radiculopathy, sacral and sacrococcygeal region
M96.1	Postlaminectomy syndrome, not elsewhere classified
M96.2	Postradiation kyphosis
M96.3	Postlaminectomy kyphosis
M96.4	Postsurgical lordosis
M96.5	Postradiation scoliosis
M99.20	Subluxation stenosis of neural canal of head region
M99.21	Subluxation stenosis of neural canal of cervical region
M99.22	Subluxation stenosis of neural canal of thoracic region
M99.23	Subluxation stenosis of neural canal of lumbar region
M99.24	Subluxation stenosis of neural canal of sacral region
M99.30	Osseous stenosis of neural canal of head region
M99.31	Osseous stenosis of neural canal of cervical region

CODE	DESCRIPTION
M99.32	Osseous stenosis of neural canal of thoracic region
M99.33	Osseous stenosis of neural canal of lumbar region
M99.34	Osseous stenosis of neural canal of sacral region
M99.40	Connective tissue stenosis of neural canal of head region
M99.41	Connective tissue stenosis of neural canal of cervical region
M99.42	Connective tissue stenosis of neural canal of thoracic region
M99.43	Connective tissue stenosis of neural canal of lumbar region
M99.44	Connective tissue stenosis of neural canal of sacral region
M99.50	Intervertebral disc stenosis of neural canal of head region
M99.51	Intervertebral disc stenosis of neural canal of cervical region
M99.52	Intervertebral disc stenosis of neural canal of thoracic region
CODE	DESCRIPTION
M99.53	Intervertebral disc stenosis of neural canal of lumbar region
M99.54	Intervertebral disc stenosis of neural canal of sacral region
M99.60	Osseous and spondylosis stenosis of intervertebral foramina of head region
M99.61	Osseous and spondylosis stenosis of intervertebral foramina of cervical region
M99.62	Osseous and spondylosis stenosis of intervertebral foramina of thoracic region
M99.63	Osseous and spondylosis stenosis of intervertebral foramina of lumbar region
M99.64	Osseous and spondylosis stenosis of intervertebral foramina of sacral region
M99.70	Connective tissue and disc stenosis of intervertebral foramina of head region
M99.71	Connective tissue and disc stenosis of intervertebral foramina of cervical region
M99.72	Connective tissue and disc stenosis of intervertebral foramina of thoracic region
M99.73	Connective tissue and disc stenosis of intervertebral foramina of lumbar region
M99.74	Connective tissue and disc stenosis of intervertebral foramina of sacral region
Q05.0	Cervical spina bifida with hydrocephalus
Q05.1	Thoracic spina bifida with hydrocephalus
Q05.2	Lumbar spina bifida with hydrocephalus
Q05.3	Sacral spina bifida with hydrocephalus
Q05.5	Cervical spina bifida without hydrocephalus
Q05.6	Thoracic spina bifida without hydrocephalus
Q05.7	Lumbar spina bifida without hydrocephalus
Q05.8	Sacral spina bifida without hydrocephalus

CODE	DESCRIPTION
Q07.00	Arnold-Chiari syndrome without spina bifida or hydrocephalus
Q07.01	Arnold-Chiari syndrome with spina bifida
Q07.02	Arnold-Chiari syndrome with hydrocephalus
Q07.03	Arnold-Chiari syndrome with spina bifida and hydrocephalus
R20.0	Anesthesia of skin
R20.1	Hypoesthesia of skin
R20.2	Paresthesia of skin
R20.3	Hyperesthesia
R20.8	Other disturbances of skin sensation
R26.0	Ataxic gait
R26.1	Paralytic gait
R26.81	Unsteadiness on feet
R26.89	Other abnormalities of gait and mobility
R27.8	Other lack of coordination
R29.5	Transient paralysis
R40.2111	Coma scale, eyes open, never, in the field [EMT or ambulance]
R40.2112	Coma scale, eyes open, never, at arrival to emergency department
R40.2113	Coma scale, eyes open, never, at hospital admission
R40.2114	Coma scale, eyes open, never, 24 hours or more after hospital admission
R40.2121	Coma scale, eyes open, to pain, in the field [EMT or ambulance]
R40.2122	Coma scale, eyes open, to pain, at arrival to emergency department
R40.2123	Coma scale, eyes open, to pain, at hospital admission
R40.2124	Coma scale, eyes open, to pain, 24 hours or more after hospital admission
R40.2211	Coma scale, best verbal response, none, in the field [EMT or ambulance]
R40.2212	Coma scale, best verbal response, none, at arrival to emergency department
R40.2213	Coma scale, best verbal response, none, at hospital admission
R40.2214	Coma scale, best verbal response, none, 24 hours or more after hospital admission
R40.2221	Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]
R40.2222	Coma scale, best verbal response, incomprehensible words, at arrival to emergency department
R40.2223	Coma scale, best verbal response, incomprehensible words, at hospital admission

CODE	DESCRIPTION
R40.2224	Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission
R40.2311	Coma scale, best motor response, none, in the field [EMT or ambulance]
R40.2312	Coma scale, best motor response, none, at arrival to emergency department
R40.2313	Coma scale, best motor response, none, at hospital admission
R40.2314	Coma scale, best motor response, none, 24 hours or more after hospital admission
R40.2321	Coma scale, best motor response, extension, in the field [EMT or ambulance]
R40.2322	Coma scale, best motor response, extension, at arrival to emergency department
R40.2323	Coma scale, best motor response, extension, at hospital admission
R40.2324	Coma scale, best motor response, extension, 24 hours or more after hospital admission
R40.2341	Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]
R40.2342	Coma scale, best motor response, flexion withdrawal, at arrival to emergency department
R40.2343	Coma scale, best motor response, flexion withdrawal, at hospital admission
R40.2344	Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission
R40.3	Persistent vegetative state
R42	Dizziness and giddiness
R94.110	Abnormal electro-oculogram [EOG]
R94.111	Abnormal electroretinogram [ERG]
R94.112	Abnormal visually evoked potential [VEP]
R94.113	Abnormal oculomotor study
R94.118	Abnormal results of other function studies of eye
R94.120	Abnormal auditory function study
R94.121	Abnormal vestibular function study
R94.128	Abnormal results of other function studies of ear and other special senses
R94.131	Abnormal electromyogram [EMG]
R94.138	Abnormal results of other function studies of peripheral nervous system
S04.011A	Injury of optic nerve, right eye, initial encounter
S04.011D	Injury of optic nerve, right eye, subsequent encounter
S04.011S	Injury of optic nerve, right eye, sequela

CODE	DESCRIPTION
S04.012A	Injury of optic nerve, left eye, initial encounter
S04.012D	Injury of optic nerve, left eye, subsequent encounter
S04.012S	Injury of optic nerve, left eye, sequela
S04.02XA	Injury of optic chiasm, initial encounter
S04.02XD	Injury of optic chiasm, subsequent encounter
S04.02XS	Injury of optic chiasm, sequela
S04.031A	Injury of optic tract and pathways, right side, initial encounter
S04.031D	Injury of optic tract and pathways, right side, subsequent encounter
S04.031S	Injury of optic tract and pathways, right side, sequela
S04.032A	Injury of optic tract and pathways, left side, initial encounter
S04.032D	Injury of optic tract and pathways, left side, subsequent encounter
S04.032S	Injury of optic tract and pathways, left side, sequela
S04.041A	Injury of visual cortex, right side, initial encounter
S04.041D	Injury of visual cortex, right side, subsequent encounter
S04.041S	Injury of visual cortex, right side, sequela
S04.042A	Injury of visual cortex, left side, initial encounter
S04.042D	Injury of visual cortex, left side, subsequent encounter
S04.042S	Injury of visual cortex, left side, sequela
S04.11XA	Injury of oculomotor nerve, right side, initial encounter
S04.11XD	Injury of oculomotor nerve, right side, subsequent encounter
S04.11XS	Injury of oculomotor nerve, right side, sequela
S04.12XA	Injury of oculomotor nerve, left side, initial encounter
CODE	DESCRIPTION
S04.12XD	Injury of oculomotor nerve, left side, subsequent encounter
S04.12XS	Injury of oculomotor nerve, left side, sequela
S04.21XA	Injury of trochlear nerve, right side, initial encounter
S04.21XD	Injury of trochlear nerve, right side, subsequent encounter
S04.21XS	Injury of trochlear nerve, right side, sequela
S04.22XA	Injury of trochlear nerve, left side, initial encounter
S04.22XD	Injury of trochlear nerve, left side, subsequent encounter
S04.22XS	Injury of trochlear nerve, left side, sequela
S04.31XA	Injury of trigeminal nerve, right side, initial encounter

CODE	DESCRIPTION
S04.31XD	Injury of trigeminal nerve, right side, subsequent encounter
S04.31XS	Injury of trigeminal nerve, right side, sequela
S04.32XA	Injury of trigeminal nerve, left side, initial encounter
S04.32XD	Injury of trigeminal nerve, left side, subsequent encounter
S04.32XS	Injury of trigeminal nerve, left side, sequela
S04.41XA	Injury of abducent nerve, right side, initial encounter
S04.41XD	Injury of abducent nerve, right side, subsequent encounter
S04.41XS	Injury of abducent nerve, right side, sequela
S04.42XA	Injury of abducent nerve, left side, initial encounter
S04.42XD	Injury of abducent nerve, left side, subsequent encounter
S04.42XS	Injury of abducent nerve, left side, sequela
S04.51XA	Injury of facial nerve, right side, initial encounter
S04.51XD	Injury of facial nerve, right side, subsequent encounter
S04.51XS	Injury of facial nerve, right side, sequela
S04.52XA	Injury of facial nerve, left side, initial encounter
S04.52XD	Injury of facial nerve, left side, subsequent encounter
S04.52XS	Injury of facial nerve, left side, sequela
S04.61XA	Injury of acoustic nerve, right side, initial encounter
S04.61XD	Injury of acoustic nerve, right side, subsequent encounter
S04.61XS	Injury of acoustic nerve, right side, sequela
S04.62XA	Injury of acoustic nerve, left side, initial encounter
S04.62XD	Injury of acoustic nerve, left side, subsequent encounter
S04.62XS	Injury of acoustic nerve, left side, sequela
S04.71XA	Injury of accessory nerve, right side, initial encounter
S04.71XD	Injury of accessory nerve, right side, subsequent encounter
S04.71XS	Injury of accessory nerve, right side, sequela
S04.72XA	Injury of accessory nerve, left side, initial encounter
S04.72XD	Injury of accessory nerve, left side, subsequent encounter
S04.72XS	Injury of accessory nerve, left side, sequela
S04.811A	Injury of olfactory [1st] nerve, right side, initial encounter
S04.811D	Injury of olfactory [1st] nerve, right side, subsequent encounter
S04.811S	Injury of olfactory [1st] nerve, right side, sequela

CODE	DESCRIPTION
S04.812A	Injury of olfactory [1st] nerve, left side, initial encounter
S04.812D	Injury of olfactory [1st] nerve, left side, subsequent encounter
S04.812S	Injury of olfactory [1st] nerve, left side, sequela
S04.891A	Injury of other cranial nerves, right side, initial encounter
S04.891D	Injury of other cranial nerves, right side, subsequent encounter
S04.891S	Injury of other cranial nerves, right side, sequela
S04.892A	Injury of other cranial nerves, left side, initial encounter
S04.892D	Injury of other cranial nerves, left side, subsequent encounter
S04.892S	Injury of other cranial nerves, left side, sequela
S06.310A	Contusion and laceration of right cerebrum without loss of consciousness, initial encounter
S06.310D	Contusion and laceration of right cerebrum without loss of consciousness, subsequent encounter
S06.310S	Contusion and laceration of right cerebrum without loss of consciousness, sequela
S06.311A	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter
S06.311D	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.311S	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela
S06.312A	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.312D	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.312S	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.313A	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.313D	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.313S	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.314A	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.314D	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to

CODE	DESCRIPTION
	24 hours, subsequent encounter
S06.314S	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.315A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.315D	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.315S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.316A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.316D	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.316S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.317A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.318A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.320A	Contusion and laceration of left cerebrum without loss of consciousness, initial encounter
S06.320D	Contusion and laceration of left cerebrum without loss of consciousness, subsequent encounter
S06.320S	Contusion and laceration of left cerebrum without loss of consciousness, sequela
S06.321A	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter
S06.321D	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.321S	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela
S06.322A	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.322D	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes

CODE	DESCRIPTION
	to 59 minutes, subsequent encounter
S06.322S	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.323A	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.323D	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.323S	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.324A	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.324D	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.324S	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.325A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.325D	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.325S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.326A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.326D	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.326S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.327A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.328A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.340A	Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter
S06.340D	Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent encounter

CODE	DESCRIPTION
S06.340S	Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela
S06.341A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter
CODE	DESCRIPTION
S06.341D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.341S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela
S06.342A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.342D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.342S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.343A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter
S06.343D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter
S06.343S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela
S06.344A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.344D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.344S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.345A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.345D	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.345S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.346A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.346D	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving,

CODE	DESCRIPTION
	subsequent encounter
S06.346S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.347A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.348A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.350A	Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter
S06.350D	Traumatic hemorrhage of left cerebrum without loss of consciousness, subsequent encounter
S06.350S	Traumatic hemorrhage of left cerebrum without loss of consciousness, sequela
S06.351A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter
S06.351D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.351S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela
S06.352A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.352D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.352S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.353A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter
S06.353D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter
S06.353S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela
S06.354A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.354D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.354S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.355A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24

CODE	DESCRIPTION
	hours with return to pre-existing conscious level, initial encounter
S06.355D	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.355S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.356A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.356D	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.356S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.357A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.358A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.370A	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, initial encounter
S06.370D	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, subsequent encounter
S06.370S	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela
S06.371A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, initial encounter
S06.371D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.371S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela
S06.372A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.372D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.372S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.373A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter

CODE	DESCRIPTION
S06.373D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.373S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.374A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.374D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.374S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela
S06.375A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.375D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.375S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.376A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.376D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.376S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.377A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.378A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.380A	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, initial encounter
S06.380D	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, subsequent encounter
S06.380S	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela

CODE	DESCRIPTION
S06.381A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, initial encounter
S06.381D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, subsequent encounter
S06.381S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela
S06.382A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.382D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.382S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.383A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.383D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.383S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.384A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.384D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.384S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela
S06.385A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.385D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.385S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.386A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.386D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.386S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness

CODE	DESCRIPTION
	greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.387A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.388A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.4X0A	Epidural hemorrhage without loss of consciousness, initial encounter
S06.4X0D	Epidural hemorrhage without loss of consciousness, subsequent encounter
S06.4X0S	Epidural hemorrhage without loss of consciousness, sequela
S06.4X1A	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter
S06.4X1D	Epidural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter
S06.4X1S	Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela
S06.4X2A	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.4X2D	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.4X2S	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.4X3A	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.4X3D	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.4X3S	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
CODE	DESCRIPTION
S06.4X4A	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.4X4D	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.4X4S	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela
S06.4X5A	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter

CODE	DESCRIPTION
S06.4X5D	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.4X5S	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.4X6A	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.4X6D	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.4X6S	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.4X7A	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.4X8A	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter
S06.5X0A	Traumatic subdural hemorrhage without loss of consciousness, initial encounter
S06.5X0D	Traumatic subdural hemorrhage without loss of consciousness, subsequent encounter
S06.5X0S	Traumatic subdural hemorrhage without loss of consciousness, sequela
S06.5X1A	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter
S06.5X1D	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter
S06.5X1S	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela
S06.5X2A	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.5X2D	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.5X2S	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.5X3A	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.5X3D	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.5X3S	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.5X4A	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours,

CODE	DESCRIPTION
	initial encounter
S06.5X4D	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.5X4S	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela
S06.5X5A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.5X5D	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.5X5S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.5X6A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.5X6D	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.5X6S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.5X7A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter
S06.5X8A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter
S06.6X0A	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter
S06.6X0D	Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter
S06.6X0S	Traumatic subarachnoid hemorrhage without loss of consciousness, sequela
S06.6X1A	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter
S06.6X1D	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter
S06.6X1S	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela
S06.6X2A	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.6X2D	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter

CODE	DESCRIPTION
S06.6X2S	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.6X3A	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.6X3D	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.6X3S	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.6X4A	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.6X4D	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.6X4S	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela
S06.6X5A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.6X5D	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.6X5S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.6X6A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.6X6D	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.6X6S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.6X7A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.6X8A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S12.000A	Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture
S12.000B	Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture
S12.001A	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture

CODE	DESCRIPTION
S12.001B	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture
S12.100A	Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture
S12.100B	Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture
S12.101A	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture
S12.101B	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture
S12.200A	Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture
S12.200B	Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture
S12.201A	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture
S12.201B	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture
S12.300A	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture
S12.300B	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture
S12.301A	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture
S12.301B	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture
S12.400A	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture
S12.400B	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture
S12.401A	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture
S12.401B	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture
S12.500A	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture
S12.500B	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open

CODE	DESCRIPTION
	fracture
S12.501A	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture
S12.501B	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture
S12.600A	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture
S12.600B	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture
S12.601A	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture
S12.601B	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture
S14.0XXA	Concussion and edema of cervical spinal cord, initial encounter
S14.0XXD	Concussion and edema of cervical spinal cord, subsequent encounter
S14.0XXS	Concussion and edema of cervical spinal cord, sequela
S14.111A	Complete lesion at C1 level of cervical spinal cord, initial encounter
S14.111D	Complete lesion at C1 level of cervical spinal cord, subsequent encounter
S14.111S	Complete lesion at C1 level of cervical spinal cord, sequela
S14.112A	Complete lesion at C2 level of cervical spinal cord, initial encounter
S14.112D	Complete lesion at C2 level of cervical spinal cord, subsequent encounter
S14.112S	Complete lesion at C2 level of cervical spinal cord, sequela
S14.113A	Complete lesion at C3 level of cervical spinal cord, initial encounter
S14.113D	Complete lesion at C3 level of cervical spinal cord, subsequent encounter
S14.113S	Complete lesion at C3 level of cervical spinal cord, sequela
S14.114A	Complete lesion at C4 level of cervical spinal cord, initial encounter
S14.114D	Complete lesion at C4 level of cervical spinal cord, subsequent encounter
S14.114S	Complete lesion at C4 level of cervical spinal cord, sequela
CODE	DESCRIPTION
S14.115A	Complete lesion at C5 level of cervical spinal cord, initial encounter
S14.115D	Complete lesion at C5 level of cervical spinal cord, subsequent encounter
S14.115S	Complete lesion at C5 level of cervical spinal cord, sequela
S14.116A	Complete lesion at C6 level of cervical spinal cord, initial encounter

CODE	DESCRIPTION
S14.116D	Complete lesion at C6 level of cervical spinal cord, subsequent encounter
S14.116S	Complete lesion at C6 level of cervical spinal cord, sequela
S14.117A	Complete lesion at C7 level of cervical spinal cord, initial encounter
S14.117D	Complete lesion at C7 level of cervical spinal cord, subsequent encounter
S14.117S	Complete lesion at C7 level of cervical spinal cord, sequela
S14.118A	Complete lesion at C8 level of cervical spinal cord, initial encounter
S14.118D	Complete lesion at C8 level of cervical spinal cord, subsequent encounter
S14.118S	Complete lesion at C8 level of cervical spinal cord, sequela
S14.121A	Central cord syndrome at C1 level of cervical spinal cord, initial encounter
S14.121D	Central cord syndrome at C1 level of cervical spinal cord, subsequent encounter
S14.121S	Central cord syndrome at C1 level of cervical spinal cord, sequela
S14.122A	Central cord syndrome at C2 level of cervical spinal cord, initial encounter
S14.122D	Central cord syndrome at C2 level of cervical spinal cord, subsequent encounter
S14.122S	Central cord syndrome at C2 level of cervical spinal cord, sequela
S14.123A	Central cord syndrome at C3 level of cervical spinal cord, initial encounter
S14.123D	Central cord syndrome at C3 level of cervical spinal cord, subsequent encounter
S14.123S	Central cord syndrome at C3 level of cervical spinal cord, sequela
S14.124A	Central cord syndrome at C4 level of cervical spinal cord, initial encounter
S14.124D	Central cord syndrome at C4 level of cervical spinal cord, subsequent encounter
S14.124S	Central cord syndrome at C4 level of cervical spinal cord, sequela
S14.125A	Central cord syndrome at C5 level of cervical spinal cord, initial encounter
S14.125D	Central cord syndrome at C5 level of cervical spinal cord, subsequent encounter
S14.125S	Central cord syndrome at C5 level of cervical spinal cord, sequela
S14.126A	Central cord syndrome at C6 level of cervical spinal cord, initial encounter
S14.126D	Central cord syndrome at C6 level of cervical spinal cord, subsequent encounter
S14.126S	Central cord syndrome at C6 level of cervical spinal cord, sequela
S14.127A	Central cord syndrome at C7 level of cervical spinal cord, initial encounter
S14.127D	Central cord syndrome at C7 level of cervical spinal cord, subsequent encounter
S14.127S	Central cord syndrome at C7 level of cervical spinal cord, sequela
S14.128A	Central cord syndrome at C8 level of cervical spinal cord, initial encounter
S14.128D	Central cord syndrome at C8 level of cervical spinal cord, subsequent encounter
S14.128S	Central cord syndrome at C8 level of cervical spinal cord, sequela

CODE	DESCRIPTION
S14.131A	Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter
S14.131D	Anterior cord syndrome at C1 level of cervical spinal cord, subsequent encounter
S14.131S	Anterior cord syndrome at C1 level of cervical spinal cord, sequela
S14.132A	Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter
S14.132D	Anterior cord syndrome at C2 level of cervical spinal cord, subsequent encounter
S14.132S	Anterior cord syndrome at C2 level of cervical spinal cord, sequela
S14.133A	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter
S14.133D	Anterior cord syndrome at C3 level of cervical spinal cord, subsequent encounter
S14.133S	Anterior cord syndrome at C3 level of cervical spinal cord, sequela
S14.134A	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter
S14.134D	Anterior cord syndrome at C4 level of cervical spinal cord, subsequent encounter
S14.134S	Anterior cord syndrome at C4 level of cervical spinal cord, sequela
S14.135A	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter
S14.135D	Anterior cord syndrome at C5 level of cervical spinal cord, subsequent encounter
S14.135S	Anterior cord syndrome at C5 level of cervical spinal cord, sequela
S14.136A	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter
S14.136D	Anterior cord syndrome at C6 level of cervical spinal cord, subsequent encounter
S14.136S	Anterior cord syndrome at C6 level of cervical spinal cord, sequela
S14.137A	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter
S14.137D	Anterior cord syndrome at C7 level of cervical spinal cord, subsequent encounter
S14.137S	Anterior cord syndrome at C7 level of cervical spinal cord, sequela
S14.138A	Anterior cord syndrome at C8 level of cervical spinal cord, initial encounter
S14.138D	Anterior cord syndrome at C8 level of cervical spinal cord, subsequent encounter
S14.138S	Anterior cord syndrome at C8 level of cervical spinal cord, sequela
S14.141A	Brown-Sequard syndrome at C1 level of cervical spinal cord, initial encounter
S14.141D	Brown-Sequard syndrome at C1 level of cervical spinal cord, subsequent encounter
S14.141S	Brown-Sequard syndrome at C1 level of cervical spinal cord, sequela
S14.142A	Brown-Sequard syndrome at C2 level of cervical spinal cord, initial encounter
S14.142D	Brown-Sequard syndrome at C2 level of cervical spinal cord, subsequent encounter
S14.142S	Brown-Sequard syndrome at C2 level of cervical spinal cord, sequela
S14.143A	Brown-Sequard syndrome at C3 level of cervical spinal cord, initial encounter
S14.143D	Brown-Sequard syndrome at C3 level of cervical spinal cord, subsequent encounter

CODE	DESCRIPTION
S14.143S	Brown-Sequard syndrome at C3 level of cervical spinal cord, sequela
S14.144A	Brown-Sequard syndrome at C4 level of cervical spinal cord, initial encounter
S14.144D	Brown-Sequard syndrome at C4 level of cervical spinal cord, subsequent encounter
S14.144S	Brown-Sequard syndrome at C4 level of cervical spinal cord, sequela
S14.145A	Brown-Sequard syndrome at C5 level of cervical spinal cord, initial encounter
S14.145D	Brown-Sequard syndrome at C5 level of cervical spinal cord, subsequent encounter
S14.145S	Brown-Sequard syndrome at C5 level of cervical spinal cord, sequela
S14.146A	Brown-Sequard syndrome at C6 level of cervical spinal cord, initial encounter
S14.146D	Brown-Sequard syndrome at C6 level of cervical spinal cord, subsequent encounter
S14.146S	Brown-Sequard syndrome at C6 level of cervical spinal cord, sequela
S14.147A	Brown-Sequard syndrome at C7 level of cervical spinal cord, initial encounter
S14.147D	Brown-Sequard syndrome at C7 level of cervical spinal cord, subsequent encounter
S14.147S	Brown-Sequard syndrome at C7 level of cervical spinal cord, sequela
S14.148A	Brown-Sequard syndrome at C8 level of cervical spinal cord, initial encounter
S14.148D	Brown-Sequard syndrome at C8 level of cervical spinal cord, subsequent encounter
S14.148S	Brown-Sequard syndrome at C8 level of cervical spinal cord, sequela
S14.151A	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter
S14.151D	Other incomplete lesion at C1 level of cervical spinal cord, subsequent encounter
S14.151S	Other incomplete lesion at C1 level of cervical spinal cord, sequela
S14.152A	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter
S14.152D	Other incomplete lesion at C2 level of cervical spinal cord, subsequent encounter
S14.152S	Other incomplete lesion at C2 level of cervical spinal cord, sequela
S14.153A	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter
S14.153D	Other incomplete lesion at C3 level of cervical spinal cord, subsequent encounter
S14.153S	Other incomplete lesion at C3 level of cervical spinal cord, sequela
S14.154A	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter
S14.154D	Other incomplete lesion at C4 level of cervical spinal cord, subsequent encounter
S14.154S	Other incomplete lesion at C4 level of cervical spinal cord, sequela
S14.155A	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter
S14.155D	Other incomplete lesion at C5 level of cervical spinal cord, subsequent encounter
S14.155S	Other incomplete lesion at C5 level of cervical spinal cord, sequela
S14.156A	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter

CODE	DESCRIPTION
S14.156D	Other incomplete lesion at C6 level of cervical spinal cord, subsequent encounter
S14.156S	Other incomplete lesion at C6 level of cervical spinal cord, sequela
S14.157A	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter
S14.157D	Other incomplete lesion at C7 level of cervical spinal cord, subsequent encounter
S14.157S	Other incomplete lesion at C7 level of cervical spinal cord, sequela
S14.158A	Other incomplete lesion at C8 level of cervical spinal cord, initial encounter
S14.158D	Other incomplete lesion at C8 level of cervical spinal cord, subsequent encounter
S14.158S	Other incomplete lesion at C8 level of cervical spinal cord, sequela
S14.2XXA	Injury of nerve root of cervical spine, initial encounter
S14.2XXD	Injury of nerve root of cervical spine, subsequent encounter
S14.2XXS	Injury of nerve root of cervical spine, sequela
S14.3XXA	Injury of brachial plexus, initial encounter
S14.3XXD	Injury of brachial plexus, subsequent encounter
S14.3XXS	Injury of brachial plexus, sequela
S14.4XXA	Injury of peripheral nerves of neck, initial encounter
S14.4XXD	Injury of peripheral nerves of neck, subsequent encounter
S14.4XXS	Injury of peripheral nerves of neck, sequela
S14.5XXA	Injury of cervical sympathetic nerves, initial encounter
S14.5XXD	Injury of cervical sympathetic nerves, subsequent encounter
S14.5XXS	Injury of cervical sympathetic nerves, sequela
S14.8XXA	Injury of other specified nerves of neck, initial encounter
S14.8XXD	Injury of other specified nerves of neck, subsequent encounter
S14.8XXS	Injury of other specified nerves of neck, sequela
S22.019A	Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture
S22.019B	Unspecified fracture of first thoracic vertebra, initial encounter for open fracture
S22.029A	Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture
S22.029B	Unspecified fracture of second thoracic vertebra, initial encounter for open fracture
S22.039A	Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture
S22.039B	Unspecified fracture of third thoracic vertebra, initial encounter for open fracture
S22.049A	Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture
S22.049B	Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture
S22.059A	Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture

CODE	DESCRIPTION
S22.059B	Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture
S22.069A	Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture
S22.069B	Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture
S22.079A	Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture
S22.079B	Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture
S22.089A	Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture
S22.089B	Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture
S24.0XXA	Concussion and edema of thoracic spinal cord, initial encounter
S24.0XXD	Concussion and edema of thoracic spinal cord, subsequent encounter
S24.0XXS	Concussion and edema of thoracic spinal cord, sequela
S24.111A	Complete lesion at T1 level of thoracic spinal cord, initial encounter
S24.111D	Complete lesion at T1 level of thoracic spinal cord, subsequent encounter
S24.111S	Complete lesion at T1 level of thoracic spinal cord, sequela
S24.112A	Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter
S24.112D	Complete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter
S24.112S	Complete lesion at T2-T6 level of thoracic spinal cord, sequela
S24.113A	Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter
S24.113D	Complete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter
S24.113S	Complete lesion at T7-T10 level of thoracic spinal cord, sequela
S24.114A	Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter
S24.114D	Complete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter
S24.114S	Complete lesion at T11-T12 level of thoracic spinal cord, sequela
S24.131A	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter
S24.131D	Anterior cord syndrome at T1 level of thoracic spinal cord, subsequent encounter
S24.131S	Anterior cord syndrome at T1 level of thoracic spinal cord, sequela
S24.132A	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter
S24.132D	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter
S24.132S	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, sequela
S24.133A	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter
S24.133D	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter
S24.133S	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, sequela

CODE	DESCRIPTION
S24.134A	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter
S24.134D	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter
S24.134S	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela
S24.141A	Brown-Sequard syndrome at T1 level of thoracic spinal cord, initial encounter
S24.141D	Brown-Sequard syndrome at T1 level of thoracic spinal cord, subsequent encounter
S24.141S	Brown-Sequard syndrome at T1 level of thoracic spinal cord, sequela
S24.142A	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, initial encounter
S24.142D	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, subsequent encounter
S24.142S	Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, sequela
S24.143A	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, initial encounter
S24.143D	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, subsequent encounter
S24.143S	Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, sequela
S24.144A	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, initial encounter
S24.144D	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, subsequent encounter
S24.144S	Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, sequela
S24.151A	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter
S24.151D	Other incomplete lesion at T1 level of thoracic spinal cord, subsequent encounter
S24.151S	Other incomplete lesion at T1 level of thoracic spinal cord, sequela
S24.152A	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter
S24.152D	Other incomplete lesion at T2-T6 level of thoracic spinal cord, subsequent encounter
S24.152S	Other incomplete lesion at T2-T6 level of thoracic spinal cord, sequela
S24.153A	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter
S24.153D	Other incomplete lesion at T7-T10 level of thoracic spinal cord, subsequent encounter
S24.153S	Other incomplete lesion at T7-T10 level of thoracic spinal cord, sequela
S24.154A	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter
S24.154D	Other incomplete lesion at T11-T12 level of thoracic spinal cord, subsequent encounter
S24.154S	Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela

CODE	DESCRIPTION
S24.2XXA	Injury of nerve root of thoracic spine, initial encounter
S24.2XXD	Injury of nerve root of thoracic spine, subsequent encounter
S24.2XXS	Injury of nerve root of thoracic spine, sequela
S24.3XXA	Injury of peripheral nerves of thorax, initial encounter
S24.3XXD	Injury of peripheral nerves of thorax, subsequent encounter
S24.3XXS	Injury of peripheral nerves of thorax, sequela
S24.4XXA	Injury of thoracic sympathetic nervous system, initial encounter
S24.4XXD	Injury of thoracic sympathetic nervous system, subsequent encounter
S24.4XXS	Injury of thoracic sympathetic nervous system, sequela
S24.8XXA	Injury of other specified nerves of thorax, initial encounter
CODE	DESCRIPTION
S24.8XXD	Injury of other specified nerves of thorax, subsequent encounter
S24.8XXS	Injury of other specified nerves of thorax, sequela
S32.009A	Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture
S32.009B	Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture
S32.019A	Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture
S32.019B	Unspecified fracture of first lumbar vertebra, initial encounter for open fracture
S32.029A	Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture
S32.029B	Unspecified fracture of second lumbar vertebra, initial encounter for open fracture
S32.039A	Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture
S32.039B	Unspecified fracture of third lumbar vertebra, initial encounter for open fracture
S32.049A	Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture
S32.049B	Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture
S32.059A	Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture
S32.059B	Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture
S32.10XA	Unspecified fracture of sacrum, initial encounter for closed fracture
S32.10XB	Unspecified fracture of sacrum, initial encounter for open fracture
S32.2XXA	Fracture of coccyx, initial encounter for closed fracture
S32.2XXB	Fracture of coccyx, initial encounter for open fracture
S34.01XA	Concussion and edema of lumbar spinal cord, initial encounter

CODE	DESCRIPTION
S34.01XD	Concussion and edema of lumbar spinal cord, subsequent encounter
S34.01XS	Concussion and edema of lumbar spinal cord, sequela
S34.02XA	Concussion and edema of sacral spinal cord, initial encounter
S34.02XD	Concussion and edema of sacral spinal cord, subsequent encounter
S34.02XS	Concussion and edema of sacral spinal cord, sequela
S34.111A	Complete lesion of L1 level of lumbar spinal cord, initial encounter
S34.111D	Complete lesion of L1 level of lumbar spinal cord, subsequent encounter
S34.111S	Complete lesion of L1 level of lumbar spinal cord, sequela
S34.112A	Complete lesion of L2 level of lumbar spinal cord, initial encounter
S34.112D	Complete lesion of L2 level of lumbar spinal cord, subsequent encounter
S34.112S	Complete lesion of L2 level of lumbar spinal cord, sequela
S34.113A	Complete lesion of L3 level of lumbar spinal cord, initial encounter
S34.113D	Complete lesion of L3 level of lumbar spinal cord, subsequent encounter
S34.113S	Complete lesion of L3 level of lumbar spinal cord, sequela
S34.114A	Complete lesion of L4 level of lumbar spinal cord, initial encounter
S34.114D	Complete lesion of L4 level of lumbar spinal cord, subsequent encounter
S34.114S	Complete lesion of L4 level of lumbar spinal cord, sequela
S34.115A	Complete lesion of L5 level of lumbar spinal cord, initial encounter
S34.115D	Complete lesion of L5 level of lumbar spinal cord, subsequent encounter
S34.115S	Complete lesion of L5 level of lumbar spinal cord, sequela
S34.121A	Incomplete lesion of L1 level of lumbar spinal cord, initial encounter
S34.121D	Incomplete lesion of L1 level of lumbar spinal cord, subsequent encounter
S34.121S	Incomplete lesion of L1 level of lumbar spinal cord, sequela
S34.122A	Incomplete lesion of L2 level of lumbar spinal cord, initial encounter
S34.122D	Incomplete lesion of L2 level of lumbar spinal cord, subsequent encounter
S34.122S	Incomplete lesion of L2 level of lumbar spinal cord, sequela
S34.123A	Incomplete lesion of L3 level of lumbar spinal cord, initial encounter
S34.123D	Incomplete lesion of L3 level of lumbar spinal cord, subsequent encounter
S34.123S	Incomplete lesion of L3 level of lumbar spinal cord, sequela
S34.124A	Incomplete lesion of L4 level of lumbar spinal cord, initial encounter
S34.124D	Incomplete lesion of L4 level of lumbar spinal cord, subsequent encounter
S34.124S	Incomplete lesion of L4 level of lumbar spinal cord, sequela

CODE	DESCRIPTION
S34.125A	Incomplete lesion of L5 level of lumbar spinal cord, initial encounter
S34.125D	Incomplete lesion of L5 level of lumbar spinal cord, subsequent encounter
S34.125S	Incomplete lesion of L5 level of lumbar spinal cord, sequela
S34.131A	Complete lesion of sacral spinal cord, initial encounter
S34.131D	Complete lesion of sacral spinal cord, subsequent encounter
S34.131S	Complete lesion of sacral spinal cord, sequela
S34.132A	Incomplete lesion of sacral spinal cord, initial encounter
S34.132D	Incomplete lesion of sacral spinal cord, subsequent encounter
S34.132S	Incomplete lesion of sacral spinal cord, sequela
S34.21XA	Injury of nerve root of lumbar spine, initial encounter
S34.21XD	Injury of nerve root of lumbar spine, subsequent encounter
S34.21XS	Injury of nerve root of lumbar spine, sequela
S34.22XA	Injury of nerve root of sacral spine, initial encounter
S34.22XD	Injury of nerve root of sacral spine, subsequent encounter
S34.22XS	Injury of nerve root of sacral spine, sequela
S34.3XXA	Injury of cauda equina, initial encounter
S34.3XXD	Injury of cauda equina, subsequent encounter
S34.3XXS	Injury of cauda equina, sequela
S34.4XXA	Injury of lumbosacral plexus, initial encounter
S34.4XXD	Injury of lumbosacral plexus, subsequent encounter
S34.4XXS	Injury of lumbosacral plexus, sequela
S34.5XXA	Injury of lumbar, sacral and pelvic sympathetic nerves, initial encounter
S34.5XXD	Injury of lumbar, sacral and pelvic sympathetic nerves, subsequent encounter
S34.5XXS	Injury of lumbar, sacral and pelvic sympathetic nerves, sequela
S34.6XXA	Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, initial encounter
S34.6XXD	Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, subsequent encounter
S34.6XXS	Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, sequela
S34.8XXA	Injury of other nerves at abdomen, lower back and pelvis level, initial encounter
S34.8XXD	Injury of other nerves at abdomen, lower back and pelvis level, subsequent encounter
S34.8XXS	Injury of other nerves at abdomen, lower back and pelvis level, sequela

CODE	DESCRIPTION
S44.01XA	Injury of ulnar nerve at upper arm level, right arm, initial encounter
S44.01XD	Injury of ulnar nerve at upper arm level, right arm, subsequent encounter
S44.01XS	Injury of ulnar nerve at upper arm level, right arm, sequela
S44.02XA	Injury of ulnar nerve at upper arm level, left arm, initial encounter
S44.02XD	Injury of ulnar nerve at upper arm level, left arm, subsequent encounter
S44.02XS	Injury of ulnar nerve at upper arm level, left arm, sequela
S44.11XA	Injury of median nerve at upper arm level, right arm, initial encounter
S44.11XD	Injury of median nerve at upper arm level, right arm, subsequent encounter
S44.11XS	Injury of median nerve at upper arm level, right arm, sequela
S44.12XA	Injury of median nerve at upper arm level, left arm, initial encounter
S44.12XD	Injury of median nerve at upper arm level, left arm, subsequent encounter
S44.12XS	Injury of median nerve at upper arm level, left arm, sequela
S44.21XA	Injury of radial nerve at upper arm level, right arm, initial encounter
S44.21XD	Injury of radial nerve at upper arm level, right arm, subsequent encounter
S44.21XS	Injury of radial nerve at upper arm level, right arm, sequela
S44.22XA	Injury of radial nerve at upper arm level, left arm, initial encounter
S44.22XD	Injury of radial nerve at upper arm level, left arm, subsequent encounter
S44.22XS	Injury of radial nerve at upper arm level, left arm, sequela
S44.31XA	Injury of axillary nerve, right arm, initial encounter
CODE	DESCRIPTION
S44.31XD	Injury of axillary nerve, right arm, subsequent encounter
S44.31XS	Injury of axillary nerve, right arm, sequela
S44.32XA	Injury of axillary nerve, left arm, initial encounter
S44.32XD	Injury of axillary nerve, left arm, subsequent encounter
S44.32XS	Injury of axillary nerve, left arm, sequela
S44.41XA	Injury of musculocutaneous nerve, right arm, initial encounter
S44.41XD	Injury of musculocutaneous nerve, right arm, subsequent encounter
S44.41XS	Injury of musculocutaneous nerve, right arm, sequela
S44.42XA	Injury of musculocutaneous nerve, left arm, initial encounter
S44.42XD	Injury of musculocutaneous nerve, left arm, subsequent encounter
S44.42XS	Injury of musculocutaneous nerve, left arm, sequela
S44.51XA	Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, initial

CODE	DESCRIPTION
	encounter
S44.51XD	Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, subsequent encounter
S44.51XS	Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, sequela
S44.52XA	Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, initial encounter
S44.52XD	Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, subsequent encounter
S44.52XS	Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, sequela
S44.8X1A	Injury of other nerves at shoulder and upper arm level, right arm, initial encounter
S44.8X1D	Injury of other nerves at shoulder and upper arm level, right arm, subsequent encounter
S44.8X1S	Injury of other nerves at shoulder and upper arm level, right arm, sequela
S44.8X2A	Injury of other nerves at shoulder and upper arm level, left arm, initial encounter
S44.8X2D	Injury of other nerves at shoulder and upper arm level, left arm, subsequent encounter
S44.8X2S	Injury of other nerves at shoulder and upper arm level, left arm, sequela
S54.01XA	Injury of ulnar nerve at forearm level, right arm, initial encounter
S54.01XD	Injury of ulnar nerve at forearm level, right arm, subsequent encounter
S54.01XS	Injury of ulnar nerve at forearm level, right arm, sequela
S54.02XA	Injury of ulnar nerve at forearm level, left arm, initial encounter
S54.02XD	Injury of ulnar nerve at forearm level, left arm, subsequent encounter
S54.02XS	Injury of ulnar nerve at forearm level, left arm, sequela
S54.11XA	Injury of median nerve at forearm level, right arm, initial encounter
S54.11XD	Injury of median nerve at forearm level, right arm, subsequent encounter
S54.11XS	Injury of median nerve at forearm level, right arm, sequela
S54.12XA	Injury of median nerve at forearm level, left arm, initial encounter
S54.12XD	Injury of median nerve at forearm level, left arm, subsequent encounter
S54.12XS	Injury of median nerve at forearm level, left arm, sequela
S54.21XA	Injury of radial nerve at forearm level, right arm, initial encounter
S54.21XD	Injury of radial nerve at forearm level, right arm, subsequent encounter
S54.21XS	Injury of radial nerve at forearm level, right arm, sequela

CODE	DESCRIPTION
S54.22XA	Injury of radial nerve at forearm level, left arm, initial encounter
S54.22XD	Injury of radial nerve at forearm level, left arm, subsequent encounter
S54.22XS	Injury of radial nerve at forearm level, left arm, sequela
S54.31XA	Injury of cutaneous sensory nerve at forearm level, right arm, initial encounter
S54.31XD	Injury of cutaneous sensory nerve at forearm level, right arm, subsequent encounter
S54.31XS	Injury of cutaneous sensory nerve at forearm level, right arm, sequela
S54.32XA	Injury of cutaneous sensory nerve at forearm level, left arm, initial encounter
S54.32XD	Injury of cutaneous sensory nerve at forearm level, left arm, subsequent encounter
S54.32XS	Injury of cutaneous sensory nerve at forearm level, left arm, sequela
S64.01XA	Injury of ulnar nerve at wrist and hand level of right arm, initial encounter
S64.01XD	Injury of ulnar nerve at wrist and hand level of right arm, subsequent encounter
S64.01XS	Injury of ulnar nerve at wrist and hand level of right arm, sequela
S64.02XA	Injury of ulnar nerve at wrist and hand level of left arm, initial encounter
S64.02XD	Injury of ulnar nerve at wrist and hand level of left arm, subsequent encounter
S64.02XS	Injury of ulnar nerve at wrist and hand level of left arm, sequela
S64.11XA	Injury of median nerve at wrist and hand level of right arm, initial encounter
S64.11XD	Injury of median nerve at wrist and hand level of right arm, subsequent encounter
S64.11XS	Injury of median nerve at wrist and hand level of right arm, sequela
S64.12XA	Injury of median nerve at wrist and hand level of left arm, initial encounter
S64.12XD	Injury of median nerve at wrist and hand level of left arm, subsequent encounter
S64.12XS	Injury of median nerve at wrist and hand level of left arm, sequela
S64.21XA	Injury of radial nerve at wrist and hand level of right arm, initial encounter
S64.21XD	Injury of radial nerve at wrist and hand level of right arm, subsequent encounter
S64.21XS	Injury of radial nerve at wrist and hand level of right arm, sequela
S64.22XA	Injury of radial nerve at wrist and hand level of left arm, initial encounter
S64.22XD	Injury of radial nerve at wrist and hand level of left arm, subsequent encounter
S64.22XS	Injury of radial nerve at wrist and hand level of left arm, sequela
S64.31XA	Injury of digital nerve of right thumb, initial encounter
S64.31XD	Injury of digital nerve of right thumb, subsequent encounter
S64.31XS	Injury of digital nerve of right thumb, sequela
S64.32XA	Injury of digital nerve of left thumb, initial encounter

CODE	DESCRIPTION
S64.32XD	Injury of digital nerve of left thumb, subsequent encounter
S64.32XS	Injury of digital nerve of left thumb, sequela
S64.490A	Injury of digital nerve of right index finger, initial encounter
S64.490D	Injury of digital nerve of right index finger, subsequent encounter
S64.490S	Injury of digital nerve of right index finger, sequela
S64.491A	Injury of digital nerve of left index finger, initial encounter
S64.491D	Injury of digital nerve of left index finger, subsequent encounter
S64.491S	Injury of digital nerve of left index finger, sequela
S64.492A	Injury of digital nerve of right middle finger, initial encounter
S64.492D	Injury of digital nerve of right middle finger, subsequent encounter
S64.492S	Injury of digital nerve of right middle finger, sequela
S64.493A	Injury of digital nerve of left middle finger, initial encounter
S64.493D	Injury of digital nerve of left middle finger, subsequent encounter
S64.493S	Injury of digital nerve of left middle finger, sequela
S64.494A	Injury of digital nerve of right ring finger, initial encounter
S64.494D	Injury of digital nerve of right ring finger, subsequent encounter
S64.494S	Injury of digital nerve of right ring finger, sequela
S64.495A	Injury of digital nerve of left ring finger, initial encounter
S64.495D	Injury of digital nerve of left ring finger, subsequent encounter
S64.495S	Injury of digital nerve of left ring finger, sequela
S64.496A	Injury of digital nerve of right little finger, initial encounter
S64.496D	Injury of digital nerve of right little finger, subsequent encounter
S64.496S	Injury of digital nerve of right little finger, sequela
S64.497A	Injury of digital nerve of left little finger, initial encounter
S64.497D	Injury of digital nerve of left little finger, subsequent encounter
S64.497S	Injury of digital nerve of left little finger, sequela
S64.8X1A	Injury of other nerves at wrist and hand level of right arm, initial encounter
S64.8X1D	Injury of other nerves at wrist and hand level of right arm, subsequent encounter
S64.8X1S	Injury of other nerves at wrist and hand level of right arm, sequela
S64.8X2A	Injury of other nerves at wrist and hand level of left arm, initial encounter
S64.8X2D	Injury of other nerves at wrist and hand level of left arm, subsequent encounter

CODE	DESCRIPTION
S64.8X2S	Injury of other nerves at wrist and hand level of left arm, sequela
S74.01XA	Injury of sciatic nerve at hip and thigh level, right leg, initial encounter
S74.01XD	Injury of sciatic nerve at hip and thigh level, right leg, subsequent encounter
S74.01XS	Injury of sciatic nerve at hip and thigh level, right leg, sequela
S74.02XA	Injury of sciatic nerve at hip and thigh level, left leg, initial encounter
S74.02XD	Injury of sciatic nerve at hip and thigh level, left leg, subsequent encounter
S74.02XS	Injury of sciatic nerve at hip and thigh level, left leg, sequela
S74.11XA	Injury of femoral nerve at hip and thigh level, right leg, initial encounter
S74.11XD	Injury of femoral nerve at hip and thigh level, right leg, subsequent encounter
S74.11XS	Injury of femoral nerve at hip and thigh level, right leg, sequela
S74.12XA	Injury of femoral nerve at hip and thigh level, left leg, initial encounter
S74.12XD	Injury of femoral nerve at hip and thigh level, left leg, subsequent encounter
S74.12XS	Injury of femoral nerve at hip and thigh level, left leg, sequela
S74.21XA	Injury of cutaneous sensory nerve at hip and high level, right leg, initial encounter
S74.21XD	Injury of cutaneous sensory nerve at hip and high level, right leg, subsequent encounter
S74.21XS	Injury of cutaneous sensory nerve at hip and high level, right leg, sequela
S74.22XA	Injury of cutaneous sensory nerve at hip and thigh level, left leg, initial encounter
S74.22XD	Injury of cutaneous sensory nerve at hip and thigh level, left leg, subsequent encounter
S74.22XS	Injury of cutaneous sensory nerve at hip and thigh level, left leg, sequela
S74.8X1A	Injury of other nerves at hip and thigh level, right leg, initial encounter
S74.8X1D	Injury of other nerves at hip and thigh level, right leg, subsequent encounter
S74.8X1S	Injury of other nerves at hip and thigh level, right leg, sequela
S74.8X2A	Injury of other nerves at hip and thigh level, left leg, initial encounter
S74.8X2D	Injury of other nerves at hip and thigh level, left leg, subsequent encounter
S74.8X2S	Injury of other nerves at hip and thigh level, left leg, sequela
S84.01XA	Injury of tibial nerve at lower leg level, right leg, initial encounter
S84.01XD	Injury of tibial nerve at lower leg level, right leg, subsequent encounter
S84.01XS	Injury of tibial nerve at lower leg level, right leg, sequela
S84.02XA	Injury of tibial nerve at lower leg level, left leg, initial encounter
S84.02XD	Injury of tibial nerve at lower leg level, left leg, subsequent encounter

CODE	DESCRIPTION
S84.02XS	Injury of tibial nerve at lower leg level, left leg, sequela
S84.11XA	Injury of peroneal nerve at lower leg level, right leg, initial encounter
S84.11XD	Injury of peroneal nerve at lower leg level, right leg, subsequent encounter
S84.11XS	Injury of peroneal nerve at lower leg level, right leg, sequela
S84.12XA	Injury of peroneal nerve at lower leg level, left leg, initial encounter
S84.12XD	Injury of peroneal nerve at lower leg level, left leg, subsequent encounter
S84.12XS	Injury of peroneal nerve at lower leg level, left leg, sequela
S84.21XA	Injury of cutaneous sensory nerve at lower leg level, right leg, initial encounter
S84.21XD	Injury of cutaneous sensory nerve at lower leg level, right leg, subsequent encounter
S84.21XS	Injury of cutaneous sensory nerve at lower leg level, right leg, sequela
S84.22XA	Injury of cutaneous sensory nerve at lower leg level, left leg, initial encounter
S84.22XD	Injury of cutaneous sensory nerve at lower leg level, left leg, subsequent encounter
S84.22XS	Injury of cutaneous sensory nerve at lower leg level, left leg, sequela
S84.801A	Injury of other nerves at lower leg level, right leg, initial encounter
S84.801D	Injury of other nerves at lower leg level, right leg, subsequent encounter
S84.801S	Injury of other nerves at lower leg level, right leg, sequela
S84.802A	Injury of other nerves at lower leg level, left leg, initial encounter
S84.802D	Injury of other nerves at lower leg level, left leg, subsequent encounter
S84.802S	Injury of other nerves at lower leg level, left leg, sequela
S94.01XA	Injury of lateral plantar nerve, right leg, initial encounter
S94.01XD	Injury of lateral plantar nerve, right leg, subsequent encounter
S94.01XS	Injury of lateral plantar nerve, right leg, sequela
S94.02XA	Injury of lateral plantar nerve, left leg, initial encounter
S94.02XD	Injury of lateral plantar nerve, left leg, subsequent encounter
S94.02XS	Injury of lateral plantar nerve, left leg, sequela
S94.11XA	Injury of medial plantar nerve, right leg, initial encounter
S94.11XD	Injury of medial plantar nerve, right leg, subsequent encounter
S94.11XS	Injury of medial plantar nerve, right leg, sequela
S94.12XA	Injury of medial plantar nerve, left leg, initial encounter
S94.12XD	Injury of medial plantar nerve, left leg, subsequent encounter
S94.12XS	Injury of medial plantar nerve, left leg, sequela

CODE	DESCRIPTION
S94.21XA	Injury of deep peroneal nerve at ankle and foot level, right leg, initial encounter
S94.21XD	Injury of deep peroneal nerve at ankle and foot level, right leg, subsequent encounter
S94.21XS	Injury of deep peroneal nerve at ankle and foot level, right leg, sequela
S94.22XA	Injury of deep peroneal nerve at ankle and foot level, left leg, initial encounter
S94.22XD	Injury of deep peroneal nerve at ankle and foot level, left leg, subsequent encounter
S94.22XS	Injury of deep peroneal nerve at ankle and foot level, left leg, sequela
S94.31XA	Injury of cutaneous sensory nerve at ankle and foot level, right leg, initial encounter
S94.31XD	Injury of cutaneous sensory nerve at ankle and foot level, right leg, subsequent encounter
S94.31XS	Injury of cutaneous sensory nerve at ankle and foot level, right leg, sequela
S94.32XA	Injury of cutaneous sensory nerve at ankle and foot level, left leg, initial encounter
S94.32XD	Injury of cutaneous sensory nerve at ankle and foot level, left leg, subsequent encounter
S94.32XS	Injury of cutaneous sensory nerve at ankle and foot level, left leg, sequela
S94.8X1A	Injury of other nerves at ankle and foot level, right leg, initial encounter
S94.8X1D	Injury of other nerves at ankle and foot level, right leg, subsequent encounter
S94.8X1S	Injury of other nerves at ankle and foot level, right leg, sequela
S94.8X2A	Injury of other nerves at ankle and foot level, left leg, initial encounter
S94.8X2D	Injury of other nerves at ankle and foot level, left leg, subsequent encounter
S94.8X2S	Injury of other nerves at ankle and foot level, left leg, sequela

Group 3 Paragraph:

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

The following ICD-10 codes support medical necessity and provide coverage for **CPT code 95930**:

Group 3 Codes: (402 Codes)

CODE	DESCRIPTION
A39.82	Meningococcal retrobulbar neuritis
C70.0	Malignant neoplasm of cerebral meninges
C70.1	Malignant neoplasm of spinal meninges
C72.0	Malignant neoplasm of spinal cord
C72.1	Malignant neoplasm of cauda equina

CODE	DESCRIPTION
C72.21	Malignant neoplasm of right olfactory nerve
C72.22	Malignant neoplasm of left olfactory nerve
C72.31	Malignant neoplasm of right optic nerve
C72.32	Malignant neoplasm of left optic nerve
C72.41	Malignant neoplasm of right acoustic nerve
C72.42	Malignant neoplasm of left acoustic nerve
C72.59	Malignant neoplasm of other cranial nerves
C79.31	Secondary malignant neoplasm of brain
C79.32	Secondary malignant neoplasm of cerebral meninges
C79.49	Secondary malignant neoplasm of other parts of nervous system
D32.0	Benign neoplasm of cerebral meninges
D32.1	Benign neoplasm of spinal meninges
D33.0	Benign neoplasm of brain, supratentorial
D33.1	Benign neoplasm of brain, infratentorial
D33.3	Benign neoplasm of cranial nerves
D33.4	Benign neoplasm of spinal cord
D33.7	Benign neoplasm of other specified parts of central nervous system
D42.0	Neoplasm of uncertain behavior of cerebral meninges
D42.1	Neoplasm of uncertain behavior of spinal meninges
D43.0	Neoplasm of uncertain behavior of brain, supratentorial
D43.1	Neoplasm of uncertain behavior of brain, infratentorial
D43.4	Neoplasm of uncertain behavior of spinal cord
D44.3	Neoplasm of uncertain behavior of pituitary gland
D44.4	Neoplasm of uncertain behavior of craniopharyngeal duct
D44.5	Neoplasm of uncertain behavior of pineal gland
G23.0	Hallervorden-Spatz disease
G23.1	Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]
G23.2	Striatonigral degeneration
G23.8	Other specified degenerative diseases of basal ganglia
G35	Multiple sclerosis
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]

CODE	DESCRIPTION
G36.8	Other specified acute disseminated demyelination
G37.0	Diffuse sclerosis of central nervous system
G37.1	Central demyelination of corpus callosum
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotizing myelitis of central nervous system
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.81	Myelin oligodendrocyte glycoprotein antibody disease
G37.89	Other specified demyelinating diseases of central nervous system
G90.3	Multi-system degeneration of the autonomic nervous system
H35.54	Dystrophies primarily involving the retinal pigment epithelium
H46.01	Optic papillitis, right eye
H46.02	Optic papillitis, left eye
H46.03	Optic papillitis, bilateral
H46.11	Retrobulbar neuritis, right eye
H46.12	Retrobulbar neuritis, left eye
H46.13	Retrobulbar neuritis, bilateral
H46.2	Nutritional optic neuropathy
H46.3	Toxic optic neuropathy
H46.8	Other optic neuritis
H47.011	Ischemic optic neuropathy, right eye
H47.012	Ischemic optic neuropathy, left eye
H47.013	Ischemic optic neuropathy, bilateral
H47.021	Hemorrhage in optic nerve sheath, right eye
H47.022	Hemorrhage in optic nerve sheath, left eye
H47.023	Hemorrhage in optic nerve sheath, bilateral
H47.031	Optic nerve hypoplasia, right eye
H47.032	Optic nerve hypoplasia, left eye
H47.033	Optic nerve hypoplasia, bilateral
H47.091	Other disorders of optic nerve, not elsewhere classified, right eye
H47.092	Other disorders of optic nerve, not elsewhere classified, left eye
H47.093	Other disorders of optic nerve, not elsewhere classified, bilateral

CODE	DESCRIPTION
H47.11	Papilledema associated with increased intracranial pressure
H47.12	Papilledema associated with decreased ocular pressure
H47.13	Papilledema associated with retinal disorder
H47.141	Foster-Kennedy syndrome, right eye
H47.142	Foster-Kennedy syndrome, left eye
H47.143	Foster-Kennedy syndrome, bilateral
H47.211	Primary optic atrophy, right eye
H47.212	Primary optic atrophy, left eye
H47.213	Primary optic atrophy, bilateral
H47.231	Glaucomatous optic atrophy, right eye
H47.232	Glaucomatous optic atrophy, left eye
H47.233	Glaucomatous optic atrophy, bilateral
H47.291	Other optic atrophy, right eye
H47.292	Other optic atrophy, left eye
H47.293	Other optic atrophy, bilateral
H47.311	Coloboma of optic disc, right eye
H47.312	Coloboma of optic disc, left eye
H47.313	Coloboma of optic disc, bilateral
H47.321	Drusen of optic disc, right eye
H47.322	Drusen of optic disc, left eye
H47.323	Drusen of optic disc, bilateral
H47.331	Pseudopapilledema of optic disc, right eye
H47.332	Pseudopapilledema of optic disc, left eye
H47.333	Pseudopapilledema of optic disc, bilateral
H47.391	Other disorders of optic disc, right eye
H47.392	Other disorders of optic disc, left eye
H47.393	Other disorders of optic disc, bilateral
H47.41	Disorders of optic chiasm in (due to) inflammatory disorders
H47.42	Disorders of optic chiasm in (due to) neoplasm
H47.43	Disorders of optic chiasm in (due to) vascular disorders
H47.49	Disorders of optic chiasm in (due to) other disorders
H47.511	Disorders of visual pathways in (due to) inflammatory disorders, right side

CODE	DESCRIPTION
H47.512	Disorders of visual pathways in (due to) inflammatory disorders, left side
H47.521	Disorders of visual pathways in (due to) neoplasm, right side
H47.522	Disorders of visual pathways in (due to) neoplasm, left side
H47.531	Disorders of visual pathways in (due to) vascular disorders, right side
H47.532	Disorders of visual pathways in (due to) vascular disorders, left side
H47.611	Cortical blindness, right side of brain
H47.612	Cortical blindness, left side of brain
H47.621	Disorders of visual cortex in (due to) inflammatory disorders, right side of brain
H47.622	Disorders of visual cortex in (due to) inflammatory disorders, left side of brain
H47.631	Disorders of visual cortex in (due to) neoplasm, right side of brain
H47.632	Disorders of visual cortex in (due to) neoplasm, left side of brain
H47.641	Disorders of visual cortex in (due to) vascular disorders, right side of brain
H47.642	Disorders of visual cortex in (due to) vascular disorders, left side of brain
H53.011	Deprivation amblyopia, right eye
H53.012	Deprivation amblyopia, left eye
H53.013	Deprivation amblyopia, bilateral
H53.021	Refractive amblyopia, right eye
H53.022	Refractive amblyopia, left eye
H53.023	Refractive amblyopia, bilateral
H53.031	Strabismic amblyopia, right eye
H53.032	Strabismic amblyopia, left eye
H53.033	Strabismic amblyopia, bilateral
H53.11	Day blindness
H53.121	Transient visual loss, right eye
H53.122	Transient visual loss, left eye
H53.123	Transient visual loss, bilateral
H53.131	Sudden visual loss, right eye
H53.132	Sudden visual loss, left eye
H53.133	Sudden visual loss, bilateral
H53.141	Visual discomfort, right eye
H53.142	Visual discomfort, left eye
H53.143	Visual discomfort, bilateral

CODE	DESCRIPTION
H53.15	Visual distortions of shape and size
H53.16	Psychophysical visual disturbances
H53.19	Other subjective visual disturbances
H53.2	Diplopia
H53.31	Abnormal retinal correspondence
H53.32	Fusion with defective stereopsis
H53.33	Simultaneous visual perception without fusion
H53.34	Suppression of binocular vision
H53.411	Scotoma involving central area, right eye
H53.412	Scotoma involving central area, left eye
H53.413	Scotoma involving central area, bilateral
H53.421	Scotoma of blind spot area, right eye
H53.422	Scotoma of blind spot area, left eye
H53.423	Scotoma of blind spot area, bilateral
H53.431	Sector or arcuate defects, right eye
H53.432	Sector or arcuate defects, left eye
H53.433	Sector or arcuate defects, bilateral
H53.451	Other localized visual field defect, right eye
H53.452	Other localized visual field defect, left eye
H53.453	Other localized visual field defect, bilateral
H53.461	Homonymous bilateral field defects, right side
H53.462	Homonymous bilateral field defects, left side
H53.47	Heteronymous bilateral field defects
H53.481	Generalized contraction of visual field, right eye
H53.482	Generalized contraction of visual field, left eye
H53.483	Generalized contraction of visual field, bilateral
H53.51	Achromatopsia
H53.52	Acquired color vision deficiency
H53.53	Deuteranomaly
H53.54	Protanomaly
H53.55	Tritanomaly
H53.59	Other color vision deficiencies

CODE	DESCRIPTION
H53.61	Abnormal dark adaptation curve
H53.62	Acquired night blindness
H53.63	Congenital night blindness
H53.69	Other night blindness
H53.71	Glare sensitivity
H53.72	Impaired contrast sensitivity
H53.8	Other visual disturbances
R44.1	Visual hallucinations
R48.3	Visual agnosia
S04.011A	Injury of optic nerve, right eye, initial encounter
S04.011D	Injury of optic nerve, right eye, subsequent encounter
S04.011S	Injury of optic nerve, right eye, sequela
S04.012A	Injury of optic nerve, left eye, initial encounter
S04.012D	Injury of optic nerve, left eye, subsequent encounter
S04.012S	Injury of optic nerve, left eye, sequela
S04.02XA	Injury of optic chiasm, initial encounter
S04.02XD	Injury of optic chiasm, subsequent encounter
S04.02XS	Injury of optic chiasm, sequela
S04.031A	Injury of optic tract and pathways, right side, initial encounter
S04.031D	Injury of optic tract and pathways, right side, subsequent encounter
S04.031S	Injury of optic tract and pathways, right side, sequela
S04.032A	Injury of optic tract and pathways, left side, initial encounter
S04.032D	Injury of optic tract and pathways, left side, subsequent encounter
S04.032S	Injury of optic tract and pathways, left side, sequela
S04.041A	Injury of visual cortex, right side, initial encounter
S04.041D	Injury of visual cortex, right side, subsequent encounter
S04.041S	Injury of visual cortex, right side, sequela
S04.042A	Injury of visual cortex, left side, initial encounter
S04.042D	Injury of visual cortex, left side, subsequent encounter
S04.042S	Injury of visual cortex, left side, sequela
S06.310A	Contusion and laceration of right cerebrum without loss of consciousness, initial encounter

CODE	DESCRIPTION
S06.310D	Contusion and laceration of right cerebrum without loss of consciousness, subsequent encounter
S06.310S	Contusion and laceration of right cerebrum without loss of consciousness, sequela
S06.311A	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter
S06.311D	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.311S	Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela
CODE	DESCRIPTION
S06.312A	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.312D	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.312S	Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.313A	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.313D	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.313S	Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.314A	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.314D	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.314S	Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.315A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.315D	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.315S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.316A	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter

CODE	DESCRIPTION
S06.316D	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.316S	Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.317A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.318A	Contusion and laceration of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.320A	Contusion and laceration of left cerebrum without loss of consciousness, initial encounter
S06.320D	Contusion and laceration of left cerebrum without loss of consciousness, subsequent encounter
S06.320S	Contusion and laceration of left cerebrum without loss of consciousness, sequela
S06.321A	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter
S06.321D	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.321S	Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela
S06.322A	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.322D	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.322S	Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.323A	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.323D	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.323S	Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.324A	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.324D	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to

CODE	DESCRIPTION
	24 hours, subsequent encounter
S06.324S	Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.325A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.325D	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.325S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.326A	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.326D	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.326S	Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.327A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.328A	Contusion and laceration of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.340A	Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter
S06.340D	Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent encounter
S06.340S	Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela
S06.341A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter
S06.341D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.341S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela
S06.342A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.342D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.342S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes

CODE	DESCRIPTION
	to 59 minutes, sequela
S06.343A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter
S06.343D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter
S06.343S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela
S06.344A	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.344D	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.344S	Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.345A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.345D	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.345S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.346A	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.346D	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.346S	Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.347A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.348A	Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.350A	Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter
S06.350D	Traumatic hemorrhage of left cerebrum without loss of consciousness, subsequent encounter
S06.350S	Traumatic hemorrhage of left cerebrum without loss of consciousness, sequela
S06.351A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or

CODE	DESCRIPTION
	less, initial encounter
S06.351D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.351S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela
S06.352A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.352D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.352S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.353A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter
S06.353D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter
S06.353S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela
S06.354A	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.354D	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.354S	Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela
S06.355A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.355D	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.355S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.356A	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.356D	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.356S	Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela

CODE	DESCRIPTION
S06.357A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.358A	Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.370A	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, initial encounter
S06.370D	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, subsequent encounter
S06.370S	Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela
S06.371A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, initial encounter
S06.371D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, subsequent encounter
S06.371S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela
S06.372A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.372D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.372S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.373A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.373D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.373S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.374A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.374D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, subsequent encounter
CODE	DESCRIPTION
S06.374S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela
S06.375A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter

CODE	DESCRIPTION
S06.375D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.375S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.376A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.376D	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.376S	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.377A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.378A	Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.380A	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, initial encounter
S06.380D	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, subsequent encounter
S06.380S	Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela
S06.381A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, initial encounter
S06.381D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, subsequent encounter
S06.381S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela
S06.382A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.382D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.382S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela

CODE	DESCRIPTION
S06.383A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.383D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.383S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.384A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.384D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.384S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela
S06.385A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.385D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.385S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.386A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.386D	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.386S	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.387A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.388A	Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter
S06.4X0A	Epidural hemorrhage without loss of consciousness, initial encounter
S06.4X0D	Epidural hemorrhage without loss of consciousness, subsequent encounter
S06.4X0S	Epidural hemorrhage without loss of consciousness, sequela
S06.4X1A	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial

CODE	DESCRIPTION
	encounter
S06.4X1D	Epidural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter
S06.4X1S	Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela
S06.4X2A	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.4X2D	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.4X2S	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.4X3A	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.4X3D	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.4X3S	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.4X4A	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.4X4D	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.4X4S	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela
S06.4X5A	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.4X5D	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.4X5S	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.4X6A	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.4X6D	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.4X6S	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.4X7A	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
S06.4X8A	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter

CODE	DESCRIPTION
S06.5X0A	Traumatic subdural hemorrhage without loss of consciousness, initial encounter
S06.5X0D	Traumatic subdural hemorrhage without loss of consciousness, subsequent encounter
S06.5X0S	Traumatic subdural hemorrhage without loss of consciousness, sequela
S06.5X1A	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter
S06.5X1D	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter
S06.5X1S	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela
S06.5X2A	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.5X2D	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.5X2S	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.5X3A	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.5X3D	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.5X3S	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.5X4A	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.5X4D	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.5X4S	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela
S06.5X5A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.5X5D	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.5X5S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.5X6A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter

CODE	DESCRIPTION
S06.5X6D	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.5X6S	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.5X7A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter
S06.5X8A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter
S06.6X0A	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter
S06.6X0D	Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter
S06.6X0S	Traumatic subarachnoid hemorrhage without loss of consciousness, sequela
S06.6X1A	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter
S06.6X1D	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter
S06.6X1S	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela
S06.6X2A	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter
S06.6X2D	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter
S06.6X2S	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela
S06.6X3A	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter
S06.6X3D	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter
S06.6X3S	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela
S06.6X4A	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter
S06.6X4D	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter
S06.6X4S	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela

CODE	DESCRIPTION
S06.6X5A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter
S06.6X5D	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter
S06.6X5S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela
S06.6X6A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter
S06.6X6D	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter
S06.6X6S	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela
S06.6X7A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter
CODE	DESCRIPTION
S06.6X8A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter

ICD-10-CM Codes that DO NOT Support Medical Necessity

Group 1 Paragraph:

All those not listed under the "ICD-10-CM Codes that Support Medical Necessity" section of this article.

Group 1 Codes: (1 Code)

CODE	DESCRIPTION
XX000	Not Applicable

ICD-10-PCS Codes

N/A

Additional ICD-10 Information

N/A

Bill Type Codes

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the article does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the article should be assumed to apply equally to all claims.

CODE	DESCRIPTION
999x	Not Applicable

Revenue Codes

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the article, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the article should be assumed to apply equally to all Revenue Codes.

CODE	DESCRIPTION
99999	Not Applicable

Other Coding Information

N/A

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
10/01/2023	R4	Article revised and published on 10/26/2023 effective for dates of service on and after 10/01/2023 to reflect the Annual ICD-10-CM Code Updates. The following ICD-10-CM code has been deleted and therefore has been removed from the article: G37.8 (Code Groups 1-3). The following ICD-10-CM codes have been added to the article: E75.27 (Code Group 2), G37.81 (Code Groups 2 and 3), and G37.89 (Code Groups 1-3).
01/01/2021	R3	Article revised and published on 02/11/21 effective for dates of service on and after 01/01/2021 to reflect the Annual HCPCS/CPT Code Updates. The following CPT codes have been added to the article: 92651, 92652, and 92653 in the 'Coding Guidance' section, the Group 1 CPT Codes, and the Group 1 ICD-10 Codes. The following CPT codes have been deleted and therefore have been removed from the article: 92585 and 92586 in the 'Coding Guidance' section, the Group 1 CPT Codes, and the Group 1 ICD-10 Codes. For the following CPT code either the short description and/or the long description was changed. Depending on which description is used in this article, there may not be any change in how the code displays: 95939.

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
10/01/2020	R2	Article revised and published on 10/01/2020 effective for dates of service on and after 10/01/2020 to reflect the Annual ICD-10-CM Code Updates. The following ICD-10-CM codes have been added to the Article: A84.81, A84.89, G11.11, G11.19 for Group 2 Paragraph under Group 2 Codes. The following ICD-10 codes have been deleted and therefore have been removed from the article: A84.8, G11.1 for Group 2 Paragraph under Group 2 Codes. Minor formatting changes made through the coding section.
10/01/2019	R1	Article revised and published on 10/17/2019 effective for dates of service on and after 10/01/2019 to reflect the Annual ICD-10-CM Code Updates. The following ICD-10 codes have been deleted and therefore have been removed from the article: H81.41, H81.42, H81.43, and H81.49. The following ICD-10-CM code has been added to ICD-10 group 1 of the Article: H81.4. The note related to specific diagnosis codes in the Group 1 ICD-10 Code paragraph has been removed, asterisks have been placed next to the applicable ICD-10 codes in the Group 1 code table and a note has been added to the asterisk explanation at the bottom of the table. Please note: System changes have been made to our articles in response to CMS Change Request 10901. The Coding Section has been reordered and new sections for CPT/HCPCS Modifiers and Other Coding Information have been added. There has been no change in content with this revision

Associated Documents

Related Local Coverage Documents

LCDs

[L34975 - Neurophysiology Evoked Potentials \(NEPs\)](#)

Related National Coverage Documents

N/A

Statutory Requirements URLs

N/A

Rules and Regulations URLs

N/A

CMS Manual Explanations URLs

N/A

Other URLs

N/A

Public Versions

UPDATED ON	EFFECTIVE DATES	STATUS
------------	-----------------	--------

Some older versions have been archived. Please visit the MCD Archive Site to retrieve them.

UPDATED ON	EFFECTIVE DATES	STATUS
10/20/2023	10/01/2023 - N/A	Currently in Effect (This Version)
02/05/2021	01/01/2021 - 09/30/2023	Superseded

Keywords

N/A